Chapter 10-40: Specific to Zones

Content:

| Division 10-40.10: Purpose | 40.10-1 |
|--|----------|
| 10-40.10.010 Purpose | 40.10-1 |
| Division 10-40.20: Establishment of Zones | 40.20-1 |
| 10-40.20.010 Establishment of Zones | 40.20-1 |
| 10-40.20.020 Zones | 40.20-1 |
| 10-40.20.030 Map of Zones | 40.20-3 |
| Division 10-40.30: Non-Transect Zones | 40.30-1 |
| 10-40.30.010 Purpose | 40.30-1 |
| 10-40.30.020 Applicability | 40.30-1 |
| 10-40.30.030 Residential Zones | 40.30-3 |
| 10-40.30.040 Commercial Zones | 40.30-13 |
| 10-40.30.050 Industrial Zones | 40.30-21 |
| 10-40.30.060 Public and Open Space Zones | 40.30-27 |
| 10-40.30.070 Sustainability Features of All Non-Transect Zones | 40.30-31 |
| Division 10-40.40Transect Zones | 40.40-1 |
| 10-40.40.010 Purpose | 40.40-1 |
| 10-40.40.020 Applicability | 40.40-2 |
| 10-40.40.030 T1 Natural (T1) Standards | 40.40-3 |
| 10-40.40.040 T2 Rural (T2) Standards | 40.40-7 |
| 10-40.40.050 T3 Neighborhood 1 (T3N.1) Standards | 40.40-13 |
| 10-40.40.060 T3 Neighborhood 2 (T3N.2) Standards | 40.40-19 |
| 10-40.40.070 T4 Neighborhood 1 (T4N.1) Standards | 40.40-25 |
| 10-40.40.080 T4 Neighborhood 2 (T4N.2) Standards | 40.40-31 |
| 10-40.40.090 T5 Main Street (T5) Standards | 40.40-37 |
| 10-40.40.100 T6 Downtown (T6) Standards | 40.40-43 |
| 10-40.40.110 Traditional Neighborhood District (TND) Standards | 40.40-49 |

10-40 Specific to Zones

| Division 10-40.50: Overlay Zones | 40.50-1 |
|---|----------|
| 10-40.50.010 Purpose | 40.50-1 |
| 10-40.50.020 Applicability | 40.50-1 |
| 10-40.50.030 Overlay Zones | 40.50-2 |
| 10-40.50.040 AO Zone Additional Requirements | 40.50-5 |
| Division 10-40.60: Specific to Uses | 40.60.1 |
| 10-40.60.010 Purpose and Applicability | 40.60-2 |
| 10-40.60.020 Accessory Buildings and Structures | 40.60-3 |
| 10-40.60.030 Accessory Dwelling Units (ADUs) | 40.60-11 |
| 10-40.60.040 Accessory Wind Energy Systems | 40.60-15 |
| 10-40.60.050 Adult Entertainment | 40.60-21 |
| 10-40.60.060 Airport/Landing Strips, Heliport, or Helistops | 40.60-24 |
| 10-40.60.070 Animal Keeping | 40.60-25 |
| 10-40.60.080 Automobile, Go-kart, and Miniature Automobile Racing | 40.60-25 |
| 10-40.60.090 Automobile Service Station and Convenience Store | 40.60-25 |
| 10-40.60.100 Automobile/Vehicle Repair Garage - Major/Minor | 40.60-26 |
| 10-40.60.110 Bed and Breakfasts | 40.60-26 |
| 10-40.60.120 Co-housing | 40.60-26 |
| 10-40.60.130 Commercial Campground and Recreational Vehicle Park | 40.60-27 |
| 10-40.60.140 Community Garden | 40.60-29 |
| 10-40.60.150 Day Care Home and Center | 40.60-30 |
| 10-40.60.160 Drive-through Retail | 40.60-31 |
| 10-40.60.170 Dwelling, Cluster | 40.60-32 |
| 10-40.60.180 Home Occupations | 40.60-34 |
| 10-40.60.190 Homeless Shelter | 40.60-35 |
| 10-40.60.200 Live/Work | 40.60-37 |
| 10-40.60.210 Manufactured Home | 40.60-40 |
| 10-40.60.220 Medical Marijuana Uses | 40.60.43 |
| 10-40.60.230 Meeting Facilities, Public and Private | 40.60-47 |
| 10-40.60.240 Mini-Storage Warehousing | 40.60-48 |
| 10-40.60.250 Mixed Use | 40.60-48 |
| 10-40.60.260 Outdoor Commercial Recreation Structures | 40.60-51 |

Specific to Zones 10-40

| 10-40.60.270 Planned Residential Development | 40.60-51 |
|---|----------|
| 10-40.60.280 Quarrying Operations | 40.60-52 |
| 10-40.60.290 Research and Development Uses | 40.60-57 |
| 10-40.60.300 Secondary Single-Family Dwelling | 40.60-58 |
| 10-40.60.310 Telecommunication Facilities | 40.60-60 |
| 10-40.60.320 Warehousing | 40.60-72 |

10-40 Specific to Zones

Division 10-40.10: Purpose

Sections:

10-40.10.010 Purpose

10-40.10.010 Purpose

This Chapter establishes the zones applied to property within the City and adopts the City's Zoning Map. This Chapter also indicates which land uses are permitted by right or as conditional uses subject to a Conditional Use Permit (Refer to Section 10-20.40.050 (Conditional Use Permits)).

10-40.10.010 Purpose

Division 10-40.10: Purpose

Sections:

10-40.10.010 Purpose

10-40.10.010 Purpose

This Chapter establishes the zones applied to property within the City and adopts the City's Zoning Map. This Chapter also indicates which land uses are permitted by right or as conditional uses subject to a Conditional Use Permit (Refer to Section 10-20.40.050 (Conditional Use Permits)).

10-40.10.010 Purpose

Division 10-40.10: Purpose

Sections:

10-40.10.010 Purpose

10-40.10.010 Purpose

This Chapter establishes the zones applied to property within the City and adopts the City's Zoning Map. This Chapter also indicates which land uses are permitted by right or as conditional uses subject to a Conditional Use Permit (Refer to Section 10-20.40.050 (Conditional Use Permits)).

10-40.10.010 Purpose

Division 10-40.20: Establishment and Designation of Zones

Sections:

10-40.20.010 Establishment of Zones

10-40.20.020 Zones

10-40.20.030 Map of Zones

10-40.20.010 Establishment of Zones

The incorporated areas of the City of Flagstaff, Arizona, are divided into walkable urban transect zones and drivable suburban non-transect zones (Refer to Preamble P.040 (Classifications of Different Types of Places in Flagstaff)). Overlay zones provide standards that apply both to transect zones and non-transect zones. The zones implement the General Plan by providing a mix of intensity of development and a mix of uses that are compatible with the character of the City's many neighborhoods, districts and corridors.

10-40.20.020 Zones

The City of Flagstaff is divided into three categories of zones:

A. Non-Transect Zones

The non-transect zones are described in Division 10-40.30 (Non-Transect Zones). The non-transect zones are primarily the zones that are more autodependent, such as single-family subdivisions, other suburban residential areas, auto-dependent commercial and retail areas, and industrial areas.

B. Transect Zones

The transect zones are described in Division 10-40.40 (Transect Zones). They range in function and density from the Coconino National Forest, the most natural area of the City, to downtown, the most urban part of the City. Transect zones are only applied through a Form-based Code (Refer to Preamble P.050 (Form-Based Codes)). Transect zones do not apply throughout the City in the non-transect zones (the driveable suburban zones), however the Traditional Neighborhood Community Plans Division establishes the process by which transect zones can be applied to other parts of the City.

C. Overlay Zones

The overlay zones are described in Division 10-40.50 (Overlay Zones). The overlay zones contain standards that apply in addition to the standards found in the underlying base zone.

| Name of Zone |
|--|
| |
| |
| Rural Residential |
| Estate Residential |
| Single-family Residential |
| Single-family Residential Neighborhood |
| Medium Density Residential |
| High Density Residential |
| Manufactured Housing |
| |
| Suburban Commercial |
| Community Commercial |
| Highway Commercial |
| Community Service |
| Central Business |
| |
| Business Park |
| Light Industrial |
| Light Industrial Open |
| Heavy Industrial |
| Heavy Industrial Open |
| es |
| Public Facility |
| Public Lands Forest |
| |

| Table 10-40.20.020.A: Zones (Continued) | | | | | |
|---|-----------------------------------|--|--|--|--|
| Zone Symbol | Name of Zone | | | | |
| Transect Zones | | | | | |
| TI | TI Natural | | | | |
| T2 | T2 Rural | | | | |
| T3N.I | T3 Neighborhood I | | | | |
| T3N.2 | T3 Neighborhood 2 | | | | |
| T4N.I | T4 Neighborhood I | | | | |
| T4N.2 | T4 Neighborhood 2 | | | | |
| T5 | T5 Main Street | | | | |
| T6 | T6 Downtown | | | | |
| TND | Traditional Neighborhood District | | | | |
| Overlay Zones | | | | | |
| AO | Airport Overlay | | | | |
| DO | Downtown Overlay | | | | |
| LO | Landmark Overlay | | | | |
| ТО | Townsite Overlay | | | | |
| RPO | Resource Protection Overlay | | | | |

10-40.20.030 Map of Zones

The zones identified shown in Table A (Zones) are mapped on the Zoning Map (Refer to Section 10-10.10.020 (Zoning Map) and links to where they are found are within Chapter 10-90 (Maps).

Division 10-40.30: Non-Transect Zones

Sections:

| 10-40.30.010 | Purpose |
|--------------|---|
| 10-40.30.020 | Applicability |
| 10-40.30.030 | Residential Zones |
| 10-40.30.040 | Commercial Zones |
| 10-40.30.050 | Industrial Zones |
| 10-40.30.060 | Public and Open Space Zones |
| 10-40.30.070 | Sustainability Features of All Non-Transect Zones |

10-40.30.010 Purpose

This Division provides regulatory standards governing land use and building form within the non-transect zones. These standards are intended to ensure that proposed development is compatible with existing and future development, and produces an environment of desirable character consistent with the General Plan. The General Plan shall guide appropriate densities in the zones.

10-40.30.020 Applicability

- A. The requirements of this Division shall apply to all proposed development within non-transect zones, and shall be considered in combination with the standards in Chapter 10-50 (Supplemental to Zones) and Division 10-40.60 (Specific to Uses). If there is a conflict between any standards, the provisions of this Division control over Chapter 10-50 (Supplemental to Zones), and the provisions of Division 10-40.60 (Specific to Uses) control over this Division and Chapter 10-50 (Supplemental to Zones).
- B. Affordable housing incentives may be applied to zones allowing residential uses in compliance with Division 10-30.20 (Affordable Housing).
- C. If a proposed use is not listed in a zone in the following Allowed Uses tables as a permitted or conditionally permitted use it, shall not be permitted unless the Director determines that the proposed use, is substantially similar to a use specified as a permitted or conditional use in that zone. The Director's determination shall not permit the establishment of any use that would be inconsistent with the statement of purpose of the zone in question, and no interpretation shall have the effect of amending, abrogating, or waiving any other standard or requirement established in these regulations. Further, the Director's determination shall not have the effect of changing the zoning designation on a parcel of land.

10-40.30.010 Non-Transect Zones

Residential Zones

10-40.30.030 Residential Zones

A. Intent

1. **RR**

The Rural Residential (RR) Zone applies to areas of the City appropriate for both housing and limited agricultural uses that preserve the area's rural character. This Zone is predominantly large lot single family development. However, it does allow for cluster and planned residential developments, which provide opportunities for higher densities. The RR Zone applies to those non-urban areas of the City that cannot be economically and efficiently provided with City services associated with urban living. As such, it is designed for the utilization and enjoyment of the City's unique mountain environment with a minimum of municipal services and improvements. These areas are designated Very Low Density Residential (VL) on the Land Use Map in the General Plan. This Zone is also intended to be used to protect against premature development in areas on the fringe of the urban service area.

2. **ER**

The Estate Residential (ER) Zone applies to areas of the City appropriate for estate type housing on large lots and limited agricultural uses. This Zone is primarily designed for the utilization and enjoyment of the City's unique mountain environment. The ER Zone is intended to encourage landscaping and buffers that preserve and enhance the rural appearance. Cluster and planned residential developments allowed in this Zone are intended to promote natural resource protection in the more rural parts of the City. Where substantial areas of open space are provided, this Zone allows for a variety of single-family housing types in affordable and planned development options.

3. **R1**

The Single-family Residential (R1) Zone applies to areas of the City intended for single-family residential development. The affordable and planned residential development options in this Zone are intended to provide design flexibility for residential development and more efficient and effective use of open space, while creating transitional areas into non-residential or higher density residential zones and protecting areas with sensitive environmental characteristics.

4. **R1N**

The Single-family Residential Neighborhood (R1N) Zone applies to those neighborhoods that are located between the City's Historic Downtown District and outlying areas of more recent suburban development. The R1N Zone, therefore, helps to maintain and enhance the historic character, scale, and architectural integrity of the downtown and surrounding area. Single-family residential development is the primary

10-40.30.030 Non-Transect Zones

Residential Zones

use type. This Zone is intended to preserve and build upon the existing development patterns inherent to Flagstaff's oldest neighborhoods. New development, renovations, and additions should, therefore, be in character and scale with the existing architectural characteristics of this Zone.

5. **MR**

The Medium Density Residential (MR) Zone applies to areas of the City appropriate for moderate density residential. This Zone allows a variety of housing types, including affordable and planned residential development that allow for higher densities.

6. HR

The High Density Residential (HR) Zone applies to areas of the City appropriate for medium to high density multiple-family residential development. This Zone is intended to provide an environment having maximum living amenities on site while providing affordable housing, residential design flexibility, more efficient use of open space, and better separation of pedestrian and vehicular traffic. This Zone allows affordable and planned residential development that allow for higher densities.

7. **MH**

The Manufactured Housing (MH) Zone is applied to areas of the City appropriate for orderly planned development of manufactured housing parks and subdivisions to accommodate manufactured houses. This Zone also accommodates conventionally framed or constructed single-family residences secondarily and accessory uses as are related or incidental to the primary use and not detrimental to the residential environment.

Residential Zones

| Land Use ¹ | Specific Use | Reside | ential Z | Cones | | | | |
|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------|
| Land Use : | Regulations | RR | ER | RI | RIN | MR | HR | МН |
| Ranching, Forestry & Animal Keeping | | | | | | | | |
| Animal Keeping | | | 9 | See Sect | ion 10-4 | 40.60.07 | <u> </u> | |
| Ranching | | Р | | | | | | |
| Recreation, Education & Assembly | | | | | | | | |
| Commercial Campgrounds | 10-40.60.130 | UP | | | | | | |
| Golf Courses and Facilities | | UP | UP | UP | | | | |
| Equestrian Recreational Facilities | | UP | UP | UP | | | | |
| Libraries, Museums | | UP | UP | UP | UP | UP | UP | UP |
| Meeting Facilities, Public & Private | 10-40.60.230 | | | | | | | |
| Regional | | | | | | | | |
| Neighborhood | | P/UP ² | P/UF |
| Outdoor Public Uses, General | | Р | Р | Р | | Р | Р | Р |
| Schools - Public & Charter | | P^3 | P^3 | P^3 | P^3 | P ³ | P ³ | P^3 |
| Schools - Private | | Р | Р | Р | Р | Р | Р | Р |
| Trade Schools | | | | | | | | |
| Residential | | | | | | | | |
| Accessory Building and Structures | 10-40.60.020 | Р | Р | Р | Р | Р | Р | Р |
| Accessory Dwelling Units | 10-40.60.030 | Р | Р | Р | Р | Р | Р | Р |
| Co-housing | 10-40.60.120 | Р | Р | Р | | Р | Р | |
| Congregate Care Facilities | | UP | UP | UP | UP | Р | Р | UP |
| Day Care, Centers | 10-40.60.150.B | UP | UP | UP | UP | UP | UP | UP |
| Day Care, Home | 10-40.60.150.A | Р | Р | Р | Р | Р | Р | Р |
| Dwelling: Cluster | 10-40.60.170 | Р | Р | | | | | |
| Dwelling: Multiple-family | | P^4 | P^4 | P^4 | | Р | Р | |
| Dwelling: Secondary Single-family | 10-40.60.300 | | | | Р | Р | Р | |
| End Notes | | | | | | | | |
| 1 A definition of each listed use type is in Cha | pter 10-80 (Defir | nitions). | | | | | | |

² A Conditional Use Permit is required if liquor is sold or if facilities exceed 250 seats.

³ Charter schools proposed in existing single-family residences shall be located on residential lots 1 acre or greater.

⁴ Permitted as Planned Residential Development (See Section 10-40.60.270 (Planned Residential Development)).

⁵ Existing single-family uses and lots recorded in MR and HR, prior to the effective date of this Zoning Code, are considered legal, conforming uses.

10-40.30.030 **Non-Transect Zones**

Residential Zones

| | Specific Use | | | Resid | lential : | Zon <u>es</u> | | |
|---------------------------------|----------------|----------------|-------|-------|-----------|------------------|------------------|----|
| Land Use ¹ | Regulations | RR | ER | RI | RIN | MR | HR | МН |
| Dwelling: Single-family | | Р | Р | Р | Р | P ^{4,5} | P ^{4,5} | Р |
| Dwelling: Two-family | | P ⁴ | P^4 | P^4 | Р | Р | Р | |
| Residential (continued) | | | | | | | | |
| Group Home | | Р | Р | Р | Р | Р | Р | Р |
| Home Occupation | 10-40.60.180 | Р | Р | Р | Р | Р | Р | Р |
| Institutional Residential | | | | | | | | |
| Convents or Monasteries | | Р | Р | Р | | Р | Р | Р |
| Custodial Care Facilities | | UP | UP | UP | UP | UP | UP | UP |
| Homeless Shelters | 10-40.60.190 | | | | | | | |
| Emergency Shelters | | UP | UP | UP | UP | UP | UP | UP |
| Short Term Housing | | UP | UP | UP | UP | UP | UP | UP |
| Transitional Housing | | UP | UP | UP | UP | UP | UP | UP |
| Sheltered Care Homes | | UP | UP | UP | UP | UP | UP | UP |
| Nursing Homes | | | UP | UP | UP | UP | UP | UP |
| Live/Work | 10-40.60.200 | | | | | UP ⁴ | UP ⁴ | |
| Manufactured Home | 10-40.60.210 | | | | | | | Р |
| Manufactured Home Park | 10-40.60.210.D | | | | | | | Р |
| Manufactured Home Subdivision | 10-40.60.210.C | | | | | | | Р |
| Mobile Home | | | | | | | | Р |
| Planned Residential Development | 10-40.60.270 | Р | Р | Р | Р | Р | Р | |
| Rooming and Boarding Facilities | | | UP | | | UP | UP | UP |
| Retail Trade | | | | | | | | |
| Neighborhood Market | | | | | | | | |
| ≤ 1,500 sf | | | | UP | | | | UP |
| ≤ 2,500 sf | | | | | | UP | | |
| ≤ 5,000 sf | | | | | | | UP | |
| Offices | | | | | | | UP | |
| Services | | | | | | | | |
| Bed & Breakfast Establishments | 10-40.60.110 | Р | Р | Р | Р | Р | Р | Р |
| Cemeteries | | UP | UP | UP | | UP | UP | UP |
| Hospitals | | UP | UP | UP | UP | UP | UP | UP |
| Public Services | | | | | | | | |
| Public Services Minor | | Р | Р | Р | Р | Р | Р | Р |
| Emergency Services | | UP | UP | UP | UP | UP | UP | UP |

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

⁴ Permitted as Planned Residential Development (See Section 10-40.60.270 (Planned Residential Development)).

Residential Zones

| B. Allowed Uses (continued) | | | | | | | | |
|---------------------------------------|--------------|----|----|-------------------|-----|----|----|----|
| Land Use ¹ | Specific Use | | | Residential Zones | | | | |
| Land Ose - | Regulations | RR | ER | RI | RIN | MR | HR | МН |
| Telecommunication Facilities | _ | | | | | | | |
| AM Broadcasting facilities | 10-40.60.310 | UP | UP | UP | UP | UP | UP | UP |
| Antenna-supporting Structure | 10-40.60.310 | UP | UP | UP | UP | UP | UP | UP |
| Attached Telecommunication Facilities | 10-40.60.310 | Р | Р | Р | Р | Р | Р | Р |
| Colocation Facility | 10-40.60.310 | Р | Р | Р | UP | Р | Р | Р |
| FM/DTV/Low Wattage AM | | | | | | | | |
| Broadcasting Facilities | 10-40.60.310 | UP | UP | UP | UP | UP | UP | UP |
| Stealth Telecommunication Facilities | 10-40.60.310 | Р | Р | Р | Р | Р | Р | Р |
| Transportation & Infrastructure | | | | | | | | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р | Р | Р | | Р | Р | Р |
| Urban Agriculture | | | | | | | | |
| Community Garden | 10-40.60.140 | Р | Р | Р | Р | Р | Р | Р |
| Nurseries | | UP | | | | | | |
| End Notes | | | | | | | | |

| ¹ A definition of each listed use type is in Chapter 10-80 (Definitions). | | | |
|--|---|--------------------------|----------------------|
| | ¹ A definition of each liste | d use type is in Chapter | 10-80 (Definitions). |

| Key | |
|-----|---------------------------------|
| Р | Permitted Use |
| UP | Conditional Use Permit Required |
| | Use Not Allowed |

10-40.30.030 Non-Transect Zones

Residential Zones

| C. Building Form Standards | RR | ER | RI | RIN | MR | HR | МН |
|-------------------------------|----------|-------------------|------------------|-----|------------------|------------------------|-----|
| Building Placement Req | uirement | s | | _ | _ | _ | |
| Setback | | | | | | | |
| Front (min.) | | | | | | | |
| 2nd Floor and Below | 75' | 50' | 15' | 15' | 10' | 10' | 15' |
| Above 2nd Floor | 75' | 50' | 15' | 15' | 15' | 15' | 15' |
| For Parking | | | 25' ¹ | | | | |
| Side (min.) | | | | | | | |
| Interior Lots | 10' | 20'min. /45'total | 8' | 6' | 5' | 5' | 8' |
| Corner Lots (interior) | 10' | 20'min. /45'total | 8' | 6' | 5' | 5' | 12' |
| Corner Lots (exterior) | 25' | 20' | 20' 2 | 6' | 5' | 5' | 12' |
| Rear (min.) | 10' | 60' | 25' ³ | 15' | 15' ⁴ | 15' ⁴ | 10' |
| Building Form Requirem | nents | | | | | | |
| Building Height (max.) | 35' | 35' | 35' | 35' | 35' | 60' ⁵ | 30' |
| Coverage (max.) | 20% | 17% | 35% | 35% | 40% | 50% | 43% |
| Density Requirements | | | | | | | |
| Density: Gross (units/acre) | | | | | | | |
| Min. | | | 2 | 2 | 6 | 13 | |
| Max. Outside the RPO | 1 | 1 | 6 | 14 | 14 | 29 ⁶ | П |
| Max. Within the RPO | I | 1 | 5 | | 9 | 22 | 4 |

End Notes

⁶ The maximum number of units for each lot is based on the following:

| Area of Lot | Required Lot Area Per Dwelling Units |
|------------------------------|--------------------------------------|
| 5,000 to 14,000 square feet | 2,500 square feet |
| 14,001 to 24,000 square feet | 2,000 square feet |
| 24,001 square feet and over | 1,500 square feet |

Key

-- Not Applicable

¹ I5' for side entrance garages, where the garage is designed as an integral element of the primary dwelling (i.e. doors and windows are consistent with the overall architectural character).

² 15' on existing lots with less than 8,000 sf or less than 65' in width.

³ One or two story residential buildings may be built to 15' from the rear property line, provided that any portion of the structure located closer than 25' to the rear property line does not exceed 50% of the lot width.

⁴ May be reduced for zones not subject to the Resource Protection Overlay when a minimum of 350 sf of open yard area per unit is provided, see Subsection 10-40.30.030.H.

⁵ Building height can be exceeded with approval of a Conditional Use Permit.

Residential Zones

| C. Building Form | RR | ER | RI | RIN | MR | HR | МН | |
|----------------------------|----------------------|-------------------|----------------------|--------------|----------------------|----------------------|-------------------|--|
| Standards (continued) | | | | | | | | |
| Lot Requirements | | | | | | | | |
| Area | | | | | | | | |
| Gross (min.) | I ac ⁷ | I ac | 6,000 sf | 6,000 sf | 6,000 sf | 6,000 sf | 5 ac | |
| Per Unit (min.) | I ac ⁷ | I ac | 6,000 sf | 3,000 sf | 3,000 sf | 3,000 sf | 4,000 sf | |
| Width | | | | | | | | |
| Interior Lots (min.) | 100'8 | 140' ⁹ | 60' ^{9, 10} | 50' | 50' ^{9, 10} | 50' ^{9, 11} | | |
| Corner Lots (min.) | 100'8 | 140' ⁹ | 65' ^{9, 10} | 50' | 50' ^{9, 10} | 50' ⁹ 11 | | |
| Depth (min.) | 200' 8 | | 100' 9 | 100' | 100' 9 | 75' ^{9, 11} | | |
| Other Requirements | | | | | | | | |
| Open Space (% of Gross Lot | | | | | I5% ¹² | I5% ¹² | I5% ¹² | |
| Area) | | | | | | | | |
| Fences and Screening | | | See | Division 10 | -50.50 —— | | | |
| Landscaping | See Division10-50.60 | | | | | | | |
| Lighting | See Division10-50.70 | | | | | | | |
| Parking | | | See | Division 10 | -50.80 —— | | | |
| Signs | | | See | Division 10- | 50.100 — | | | |

End Notes

¹² Any required common open space as required in Division 10-50.110 (Specific to Building Types) and areas set aside for resource preservation such as floodplains, slopes and forests (Division 10-50.90 (Resource Protection Standards)) may be used to satisfy this standard. In this context, "open space" includes active and passive recreation uses, landscape areas, and community gardens.

| Key | |
|-----|----------------|
| | Not Applicable |

⁷5 acre minimum where public water supply and public streets are not available to serve the property.

⁸ Where public water supply and public streets are not available to serve the property a minimum lot width of 200' and lot depth of 250' are required.

⁹ Within a Planned Residential Development the minimum width and depth of a lot may vary based on the minimum lot standards applicable to the building types selected for application within a Planned Residential Development (See Section 10-40.60.270 (Planned Residential Development)).

¹⁰ Lot width measured at the setback line.

¹¹ On lots greater than 9,000 sf: 70' minimum width on interior lots, 75' minimum width on corner lots and 100' minimum depth on all lots.

10-40.30.030 Non-Transect Zones

Residential Zones

D. Miscellaneous Requirements - All Residential Zones

- 1. Building Form Standards may be modified (reduced or exceeded) by the Director with the application of the clustered, affordable, or planned residential development provided that such application is consistent with the General Plan.
- 2. Land subdivided or developed within each residential zone shall be served by public water and sewer facilities, except for 5 acre lots in the RR Zone unless required by the Subdivision Regulations, City Code Title 11.
- 3. Temporary uses are permitted in compliance with Section 10-20.40.150 (Temporary Use Permits).

E. Miscellaneous Requirements - RR Zone

- 1. Five acre parcels shall have frontage on either a public right-of-way or an access easement approved by the City Engineer.
- 2. One acre parcels shall have frontage on either a public or private street improved with a paved roadway satisfactory to the City Engineer.

F. Miscellaneous Requirements - R1 Zone

- 1. No more than one single-family dwelling shall be permitted on each lot, plus such accessory uses as are related, incidental, and not detrimental to the residential environment (refer to Subsection 2 for exceptions).
- 2. Clustered development shall be allowed in planned residential and cohousing developments.
- 3. Each lot shall have frontage on a dedicated public street.

G. Miscellaneous Requirements - MR and HR Zone

- 1. Each lot shall have frontage on a dedicated public street.
- 2. Common open space for other building types not specifically listed in Division 10.50.110 (Specific to Building Types), such as an apartment complex, shall be provided based on the following standards:

| Table: 10-40.30.030. A: Con | nmon Open Space Requirements |
|----------------------------------|------------------------------|
| Area | 15% of gross lot area min. |
| Width | 20' min. |
| Depth | 20' min. |
| No private open space is require | ed |

Residential Zones

3. In addition to the 15 percent open space requirement established in Table C (Building Form Standards) above, residential projects over 50 units or more are also required to provide a minimum of five percent civic space (See Section 10-30.60.060.B.1 (Civic or Public Space Requirement)).

H. Open Yard Requirements - MR and HR Zones

As an alternative to the minimum setback areas provided in Subsection C, at least 350 square feet of open yard area per dwelling unit may be provided. An open yard area may be approved in compliance with the following conditions:

- 1. Open yard area may be established as a single area (the area per dwelling unit combined) with a minimum dimension of 20 feet measured perpendicular to the boundary of the yard, or it may be established as separate areas each with a minimum dimension of 15 feet measured perpendicular to the boundary of the yard;
- 2. The rear yard may be reduced to no less than six feet;
- 3. The open yard area shall be located behind the front yard setback line; and
- 4. The open yard area shall not include any driving or parking surface for use by motor vehicles or trailers.

10-40.30.030 Non-Transect Zones

10-40.30.040 Commercial Zones

A. Intent

1. SC

The Suburban Commercial (SC) Zone applies in areas with suburban character that are appropriate for neighborhood commercial uses. This Zone allows retail and service establishments that supply commodities or perform services meeting the needs of adjacent residential neighborhoods. The SC Zone encourages the orderly development of dispersed commercial areas and diverse housing choices. The standards of this Zone ensure that such commercial zones will be compatible with adjacent, non-commercial development and will minimize the undesirable effects of heavy traffic, type of activity, and site development requirements

2. CC

The Community Commercial (CC) Zone applies to areas of the City appropriate for dispersed commercial areas designed to serve community-wide needs. Such areas provide a wide variety of goods and services in predominately established, built up areas and must be consistent with the overall development of the City and its environs. The development of residential uses in addition to commercial uses is also encouraged in this Zone to provide diversity in housing choices. The provisions of this Zone are intended to ensure that such commerce will be compatible with adjacent, non commercial development and to minimize the undesirable effects of heavy traffic, commercial activity, and site requirements.

3. HC

The Highway Commercial (HC) Zone applies to areas of the City appropriate for a full range of automobile-oriented services. The development of commercial uses in addition to residential uses is encouraged in the HC Zone to provide diversity in housing choices, provided that residential uses are located above or behind commercial buildings so that they are buffered from adjoining highway corridors. The provisions of this Zone are also intended to provide for convenient, controlled access and parking, without increasing traffic burdens upon the adjacent streets and highways. This Zone is designated primarily at the commercial corridors of the City, with the intention of making the City more attractive as a tourist destination while providing needed commercial activity.

4. CS

The Commercial Service (CS) Zone applies to areas of the City appropriate for those service industries and support activities necessary to maintain viable commercial retail trade centers. The development of residential uses in addition to commercial uses is encouraged in this Zone, provided that residential uses are located above or behind the primary commercial service use.

10-40.30.040 Non-Transect Zones

Commercial Zones

5. CB

The Central Business (CB) Zone applies to the central core area which is appropriate for accommodating retail commercial, personal services, and governmental, business, financial, professional, and general offices. The uses in this area require a central location accessible to all routes entering the City and grouped so that the shopper or user can park once and visit a number of stores and offices on foot. The development of residential uses in addition to commercial uses is encouraged in this Zone, provided that residential uses are located on the second story or above or behind on the first floor.

Commercial Zones

| B. Allowed Uses | | | | | | |
|--|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Land Use ¹ | Specific Use | | Comi | mercial : | Zones | |
| Land Use * | Regulations | sc | СС | НС | CS | СВ |
| Industrial, Manufacturing, Processing & | | | | | | |
| Wholesaling | | | | | | |
| Carpenter or Cabinet Shops | | | | | Р | |
| Flammable Liquid, Gas, and Bulk Fuel - Storage and | | | | | | |
| Sale | | | | UP | | |
| Manufacturing and Processing - Incidental | | | Р | Р | Р | Р |
| Machine or Metal Working Shops | | | | | Р | |
| Mini-storage Warehousing | 10-40.60.240 | | | UP ² | Р | |
| Research and Development Uses | | | | UP | | |
| Transportation or Trucking Yards | | | | | Р | |
| Warehousing | 10-40.60.320 | | P ³ | P ³ | | P ³ |
| Wholesaling and Distribution | | | | | Р | P ³ |
| Vehicle Towing/Impound Yard | | | | P ⁴ | | |
| Recreation, Education & Assembly | | | | | | |
| Automobile, Go-kart, Miniature Automobile Racing | 10-40.60.080 | | UP | UP | | |
| Commercial Campgrounds | 10-40.60.130 | | | Р | | |
| Commercial Recreation Facilities, Indoor | | Р | Р | Р | | Р |
| Commercial Recreation Facilities, Outdoor | | | UP | UP | | |
| Libraries, Museums | | Р | Р | Р | Р | Р |
| Meeting Facilities, public or private | 10-40.60.230 | 5 | | | | |
| Regional | | P/UP ⁵ |
| Neighborhood | | P/UP ⁵ | P/UP ⁵ | | | |
| Outdoor Public Uses, General | | Р | Р | Р | | |
| Schools - Public & Charter | | Р | Р | Р | Р | Р |
| Schools - Private | | Р | Р | Р | Р | Р |
| Theaters | | Р | Р | Р | | Р |
| Trade Schools | | | UP | UP | UP | UP |

End Notes

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

² Only allowed on lots that do not have highway frontage or behind existing/new commercial uses.

³ Only permitted when incidental to permitted use.

⁴ This use shall be screened. See Division 10-50.50 (Fences and Screening) for fencing and screening requirements.

⁵ A Conditional Use Permit is required if liquor is sold or if facilities exceed 250 seats.

⁶ Residential uses are only allowed as part of a mixed-use development located above or behind the commercial uses. New developments that include residential uses shall provide a minimum of 15% of the gross lot area in the form of common open space.

10-40.30.040 Non-Transect Zones

Commercial Zones

| B. Allowed Uses (continued) | | | | | | |
|---|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | Specific Use | | Com | mercial 2 | Zones | |
| Land Use ¹ | Regulations | sc | СС | нс | CS | СВ |
| Residential ⁷ | | | | | | |
| Accessory Building and Structures | 10-40.60.020 | Р | Р | Р | Р | Р |
| Accessory Dwelling Units | 10-40.60.030 | Р | Р | Р | Р | Р |
| Co-housing | 10-40.60.120 | P^6 | P^6 | P^6 | P^6 | P^6 |
| Congregate Care Facilities | | UP | Р | Р | Р | UP |
| Day Care, Centers | 10-40.60.150.B | Р | Р | Р | UP | UP |
| Day Care, Home | 10-40.60.150.A | Р | Р | Р | Р | Р |
| Dwelling: Single-family | | | | | | |
| Dwelling: Multiple-family | | P ⁶ |
| Dwelling: Two-family | | P ⁶ |
| Group Homes | | P ⁶ |
| Home Occupation | 10-40.60.180 | P ⁶ |
| Institutional Residential | | | | | | |
| Convents or Monasteries | | Р | Р | Р | Р | Р |
| Custodial Care Facilities | | P^8 | P^8 | P^8 | P^8 | P^8 |
| Homeless Shelters | 10-40.60.190 | | | | | |
| Emergency Shelters | | P^8 | P^8 | P^8 | P^8 | P^8 |
| Short Term Housing | | P^8 | P^8 | P^8 | P^8 | P^8 |
| Transitional Housing | | Р | Р | Р | Р | Р |
| Nursing Homes | | UP | UP | UP | UP | UP |
| Sheltered Care Homes | | Р | Р | Р | Р | Р |
| Live/Work | 10-40.60.200 | Р | Р | Р | Р | Р |
| Planned Residential Development | 10-40.60.270 | UP | UP | UP | UP | UP |
| Residence for Owner, caretaker or manager | | P^6 | P^6 | P^6 | P^6 | P^6 |
| Rooming and Boarding Facilities | | UP ⁶ |
| Retail Trade | | | | | | |
| Bars/Taverns | | Р | | Р | Р | Р |
| Crematorium | | Р | Р | Р | Р | |
| Drive-through Retail | 10-40.60.160 | Р | Р | Р | | |
| | | _ | | | | _ |

End Notes

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

⁶ Residential uses are only allowed as part of a mixed-use development located above or behind the commercial uses. New developments that include residential uses shall provide a minimum of 15% of the gross lot area in the form of common open space.

⁷ Residential uses, and residential uses and properties listed on the National Historic Registry or within the Landmarks Overlay Zone, in the CC, HC, CS and CB Zones existing prior to the effective date of this Zoning Code are considered legal, conforming uses.

⁸ Conditional Use Permit is required if proximity between shelter facilities is less than ¹/₄ mile.

Commercial Zones

| 1 | Specific Use | | Com | mercial : | Zones | |
|---|--------------|-------|-------|-----------|-------|-------|
| Land Use ¹ | Regulations | sc | СС | нс | CS | CE |
| Retail Trade (continued) | | | | | | |
| Drive-through Service | | Р | Р | Р | | |
| Farmers Markets and Flea Markets | | | Р | Р | Р | |
| General Retail Business | | Р | Р | Р | Р | Р |
| Mixed Use | 10-40.60.250 | Р | Р | Р | Р | Р |
| Restaurant or Café | | Р | Р | Р | Р | Р |
| Services | | | | | | |
| Bed & Breakfast Establishments | 10-40.60.110 | Р | Р | Р | Р | Р |
| Cemeteries | | UP | UP | UP | UP | |
| Dry-cleaning, processing | | Р | Р | Р | | |
| Equipment Rental Yard | | | UP | Р | Р | |
| Funeral Homes, Mortuaries | | | Р | Р | | UI |
| General Services | | Р | Р | Р | Р | Р |
| Hospital | | UP | UP | UP | UP | UF |
| Lodging | | UP | | Р | | Р |
| Medical Marijuana Dispensary | 10-40.60.220 | | | Р | | |
| Office | | Р | Р | Р | Р | Р |
| Public Services | | | | | | |
| Public Services Major | | | | | | |
| Public Services Minor | | Р | Р | Р | Р | Р |
| Emergency Services | | UP | UP | UP | UP | UF |
| Veterinary Clinics | | Р | Р | Р | Р | |
| Veterinary Hospitals | | | | UP | UP | |
| Telecommunication Facilities | | | | | | |
| AM Broadcasting facilities | 10-40.60.310 | UP | UP | UP | UP | UF |
| Antenna-supporting Structure | 10-40.60.310 | UP | UP | UP | UP | UF |
| Attached Telecommunication Facilities | 10-40.60.310 | P | P | P | P | Р |
| Collocation Facility | 10-40.60.310 | P | P | P | P | P |
| FM/DTV/Low Wattage AM Broadcasting Facilities | 10-40.60.310 | P | P | P | P | Р |
| Stealth Telecommunication Facilities | 10-40.60.310 | P | P | P | P | Р |
| End Notes | | ' | 1 | | | - ' |

10-40.30.040 Non-Transect Zones

Commercial Zones

| B. Allowed Uses (continued) | | | | | | |
|--|--------------|------------------|----|-----------------|-----------------|----|
| Land Use ¹ | Specific Use | Commercial Zones | | | | |
| Land Ose - | Regulations | SC | СС | НС | CS | СВ |
| Transportation & Infrastructure | | | | | | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р | Р | Р | Р | Р |
| Garages, Off-street | | Р | Р | Р | Р | Р |
| Parking Lots, Off-street | 10-50.80 | Р | Р | Р | Р | Р |
| Passenger Transportation Facilities | | | | | UP | UP |
| Urban Agriculture | | | | | | |
| Community Gardens | 10-40.60.140 | Р | Р | Р | Р | Р |
| Food Production | | | | UP ² | UP ² | |
| Vehicle Sales & Services | | | | | | |
| Automobile Service Station and Convenience Store | 10-40.60.090 | Р | Р | Р | Р | |
| Automobile and Trailer Rental | | | | Р | Р | |
| Automobile/Vehicle Sales and Service, new and used | | | UP | Р | Р | UP |
| Automobile/Vehicle Repair Garages - Minor | 10-40.60.100 | | UP | Р | Р | |
| Automobile/Vehicle Repair Garages - Major | 10-40.60.100 | | | Р | Р | |
| Car washes | | Р | Р | Р | | |
| Mobile Homes and Recreational Vehicles, Sales, and | | | | | | |
| Service | | | | Р | | |

End Notes

² Only allowed on lots that do not have highway frontage or behind existing/new commercial uses.

| Кеу | |
|-----|---------------------------------|
| P | Permitted Use |
| UP | Conditional Use Permit Required |
| | Use Not Allowed |

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

Commercial Zones

| C. Building Form Standards | sc | СС | нс | cs | СВ |
|-------------------------------------|-----------------------|------------------|------------------------------------|------------------|------------------|
| Building Placement Requirem | ents | | | | |
| Setback | | | | | |
| Front | 15' min. ¹ | 0' | 0' 2 | 0' | 0' |
| Side | | | | | |
| Adjacent to Residential | | | 15' min | . — | |
| All Other Uses | | | 0' - | | |
| Exterior (min.) | 10' 3 | 10' ³ | 10' 3 | 10' 3 | 0' |
| Rear | | | | | |
| Adjacent to Residential | | | 15' min | . — | |
| All Other Lots | | | 0' - | | |
| Building Form Requirements | | | | | |
| Building Height (max.) | 25' | 60' ⁴ | 60' ⁴ | 60' ⁴ | 60' ⁴ |
| Density Requirements | | | | | |
| Gross Density (units/acre) (max.) | 13 | 13 | 13 | 13 | 13 |
| Gross FAR (max.) | 0.8 5 | 2.5 5 | 3.0 ⁵ | 2.0 5 | No max. |
| Lot Requirements | | | | | |
| Area (Gross sf) (min.) ⁶ | 6,000 | 9,000 | 9,000 | 9,000 | 7,000 |
| Width (min.) ⁶ | 50' | 60' | 60' | 60' | 50' |
| Depth (min.) ⁶ | 100' | 100' | 100' | 100' | |
| Other Requirements | | | | | |
| Fences and Screening | | | See Division I | 0-50.50 | |
| Landscaping | | | — See Division I | 0-50.60 | |
| Lighting | | | See Division I | 0-50.70 | |
| Parking | | | See Division I | 0-50.80 — | |
| Signs | | | - See Division 10 | 0-50.100 — | |

End Note

Key

-- Not Applicable

¹ Front setbacks shall be equal to 15' or match adjacent residential development, whichever is less.

² No front setback required, except when required by the adoption of building setback lines along specified streets.

³ Setback may be reduced to 5' min., if the landscape street buffer is reduced in accordance with Section 10-50.60.040.B (Non-Residential Zone Buffers).

⁴ Conditional Use Permit required for structures over 60' in height.

⁵ Excludes residential square feet (gross) when above or behind commercial uses.

⁶ Within a Planned Residential Development the minimum area, width, and depth of a lot may vary based on the minimum lot standards applicable to the building types selected for application within a Planned Residential Development (See Section 10-40.60.270 (Planned Residential Development)).

10-40.30.040 Non-Transect Zones

Commercial Zones

D. Miscellaneous Requirements - All Commercial Zones

- 1. Storage shall be limited to accessory storage of commodities sold at retail on the premises and shall be within an enclosed building.
- 2. Every commercially zoned lot shall have frontage on a public street.
- 3. All products incidental to a permitted use which are manufactured or processed on the premises shall be sold on the premises and at retail only, and shall be further limited as follows:
 - a. In the CC and CB Zones, such activity shall be restricted to not over 25 percent of ground floor area of the building or buildings.
 - b. In the CS Zone, such activity shall be restricted to not over 50 percent of ground floor area of the building or buildings.
 - c. In the CC and CB Zones, not more than five employees shall be engaged in such activity.
 - d. In the CS Zone, not more than 10 employees shall be engaged in such activity.
- 4. Every development in the commercial zones shall have a refuse storage area constructed and provided in accordance with City standards.
- 5. Temporary uses shall be permitted in compliance with Section 10-20.40.150 (Temporary Use Permits).

10-40.30.050 Industrial Zones

A. Intent

1. **RD**

The Research and Development (RD) Zone applies to areas of the City appropriate for the development of a mix of professional and administrative facilities, research and testing institutions, light industrial/manufacturing uses, green technology facilities, and offices. The uses are grouped in a campus or park like setting in keeping with the natural scenic beauty of the City. This Zone is intended to promote the provision of ample off street parking, loading areas, and landscape buffers to protect residential and commercial zones from incompatible land uses. In addition, this Zone accommodates residential uses as a secondary use to allow for more housing options.

2. LI

The Light Industrial (LI) Zone applies to areas of the City appropriate for clean and quiet industries in proximity to commercial development, including manufacturing, warehousing, and related uses with limited and screened exterior storage. The LI Zone establishes a transitional area between commercial and heavy industrial areas; while at the same time it is applied to areas of the City as a free standing industrial zone.

This Zone also includes a Sub-Zone Light Industrial Open (LI-O) where additional uses are permitted. The intent of the LI-O Zone is to enable the development of certain commercial uses and to provide appropriate land uses in the areas that transition from industrial to commercial and residential.

3. **HI**

The Heavy Industrial (HI) Zone applies to areas of the City appropriate for manufacturing and other industrial development and is less restrictive than the Light Industrial (LI) District. Uses with large amounts of exterior storage or processing that generate noise, dust, or other nuisances are included within this category. The Heavy Industrial (HI) Zone should be located only in those areas where the relationship to surrounding land use would create fewer problems of compatibility than in other areas.

This Zone also includes a Sub-Zone Heavy Industrial Open (HI-O) where additional uses are permitted. The intent of the HI-O Zone is to enable the development of certain commercial uses and to provide appropriate land uses in the areas that transition from heavy industrial to light industrial and commercial.

10-40.30.050 Non-Transect Zones

Industrial Zones

| Land Has 1 | Specific Use | Ind | | | | |
|---|--------------|-------|-------|-------|-------|-----------------------|
| Land Use ¹ | Regulations | RD | LI | LI-O | HI | HI-0 |
| Industrial, Manufacturing, Processing & | | | | | | |
| Wholesaling | | | | | | |
| Business Parks | | Р | Р | Р | | |
| Composting Facility | | | P^3 | P^3 | P^3 | P ³ |
| Construction Storage/Supply Yards | | | Р | Р | Р | Р |
| Equipment Rental Yard - Heavy | | | Р | Р | | |
| Flammable Liquid, Gas, and Bulk Fuel - Storage and | | | | | | |
| Sales | | | Р | Р | Р | Р |
| Industrial, Heavy - General | | | UP | | Р | Р |
| Industrial, Light - General | | | Р | Р | Р | Р |
| Junk Yard | | | | | Р | Р |
| Manufacturing/Processing - Heavy | | | | | Р | Р |
| Manufacturing/Processing - Light | | Р | Р | Р | Р | Р |
| Manufacturing/Processing - Previously Prepared | | | | | | |
| Materials | | UP | Р | Р | Р | Р |
| Mini-storage Warehousing | | | Р | Р | Р | Р |
| Outdoor Storage or Display | | P^2 | P^2 | P^2 | P^2 | P^2 |
| Quarrying Operations | 10-40.60.280 | | | | UP | UP |
| Railroad Shops and Similar Heavy Service Facilities | | | UP | UP | Р | Р |
| Research and Development | | Р | Р | Р | | |
| Transportation or Trucking Yards | | | Р | Р | Р | Р |
| Vehicle Towing/Impound Yard | | | P^2 | P^2 | | |
| Warehousing | 10-40.60.320 | | Р | Р | Р | Р |
| Wholesaling and Distribution | | | Р | Р | Р | Р |
| Ranching, Forestry & Animal Keeping | | | | | | |
| Livestock Auction, Feed Yards, and Sales | | | | | Р | Р |
| Recreation, Education & Assembly | | | | | | |
| Outdoor Public Uses, General | | UP | | UP | | UP |
| Schools - Public & Charter | | Р | Р | Р | Р | Р |
| Schools - Private | | UP | | | | |
| Trade Schools | | UP | Р | Р | | |
| End Notes | | | | | | |
| | | | | | | |

² This use shall be screened. See Division 10-50.50 (Fences and Screening) for fencing and screening requirements.

 $^{^3}$ Not allowed within a $^1\!\!/_{\!\!4}$ mile of an existing residential use.

Non-Transect Zones 10-40.30.050

Industrial Zones

| B. Allowed Uses (continued) | | | | | | | |
|--|----------------|----------------|------------------|------------------|------------------|------------------|--|
| 1 | Specific Use | | Industrial Zones | | | | |
| Land Use ¹ | Regulations | RD | LI | LI-O | HI | HI-O | |
| Residential | | | | | | | |
| Accessory Building and Structures | 10-40.60.020 | Р | Р | Р | Р | Р | |
| Day Care, Centers | 10-40.60.150.A | Р | P ^{4,5} | P ^{4,5} | P ^{4,5} | P ^{4,5} | |
| Institutional Residential | | | | | | | |
| Custodial Care Facilities | | | UP | UP | UP | UP | |
| Homeless Shelters | 10-40.60.190 | | | | | | |
| Emergency Shelters | | | P^6 | P^6 | P^6 | P^6 | |
| Short Term Housing | | | P^6 | P^6 | UP^6 | UP ⁶ | |
| Transitional Housing | | Р | Р | Р | UP | UP | |
| Nursing homes | | | UP | | UP | | |
| Sheltered Care Homes | | | UP | UP | UP | UP | |
| Live/Work | 10-40.60.200 | Р | Р | Р | | | |
| Residence for Owner, Caretaker, or Manager | | Р | Р | Р | Р | Р | |
| Residential Uses Above First Floor | | UP | | | | | |
| Retail Trade | | | | | | | |
| Drive-through Retail | 10-40.60.160 | P^4 | | UP ⁷ | | | |
| General Retail Business | | Р | UP | UP ⁷ | UP | UP ⁷ | |
| Heavy Retail/Service | | | | UP ⁷ | | UP ⁷ | |
| Restaurant or Café | | P ⁴ | UP | UP ⁷ | | UP ⁷ | |
| Services | | | | | | | |
| Adult Entertainment | 10-40.60.050 | Р | Р | Р | Р | Р | |
| Crematorium | | | Р | Р | Р | Р | |
| General Services | | P^4 | UP | UP ⁷ | | | |
| Hospital | | UP | UP | UP | UP | UP | |
| Kennel, Animal Boarding | | UP | UP | UP | UP | UP | |
| Lodging | | P ⁴ | | UP ⁷ | | | |
| Medical Marijuana Offsite Cultivation Location | | | Р | Р | Р | Р | |
| Office | | Р | UP | UP ⁷ | | UP ⁷ | |
| Public Services | | | | | | | |
| Public Services Major | | UP | Р | Р | Р | Р | |
| Public Services Minor | | Р | Р | Р | Р | Р | |
| Emergency Services | | UP | UP | UP | UP | UP | |

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

⁴ Limited to 10 percent of a primary use.

⁵ Solely for use by employees of the permitted use.

⁶ Conditional Use Permit is required if distance between shelter facilities is less than ¹/₄ mile.

⁷ Allowed use with applied FAR standards (see Subsection 10-40.30.050.F).

10-40.30.050 Non-Transect Zones

Industrial Zones

| B. Allowed Uses (continued) | | | | | | |
|---|--------------|----|------------------|------|----|------|
| Land Use ¹ | Specific Use | | Industrial Zones | | | |
| Land Ose * | Regulations | RD | LI | LI-O | HI | HI-O |
| Services (continued) | | | | | | |
| Veterinary Hospitals | | | Р | Р | Р | Р |
| Veterinary Clinics | | UP | Р | Р | Р | Р |
| Telecommunication Facilities | | | | | | |
| AM Broadcasting Facilities | 10-40.60.310 | UP | UP | UP | UP | UP |
| Antenna-supporting Structure | 10-40.60.310 | UP | UP | UP | UP | UP |
| Attached Telecommunication Facilities | 10-40.60.310 | Р | Р | Р | Р | Р |
| Collocation Facility | 10-40.60.310 | Р | Р | Р | Р | Р |
| FM/DTV/Low Wattage AM Broadcasting Facilities | 10-40.60.310 | Р | Р | Р | Р | Р |
| Stealth Telecommunication Facilities | 10-40.60.310 | Р | Р | Р | Р | Р |
| Transportation & Infrastructure | | | | | | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р | Р | Р | Р | Р |
| Passenger Transportation Facilities | | Р | Р | Р | | |
| Urban Agriculture | | | | | | |
| Food Production | | | Р | Р | | |
| Nurseries | | | Р | Р | Р | Р |
| Vehicle Sales & Services | | | | | | |
| Automobile/Vehicle Repair Garages - Major | 10-40.60.100 | | Р | Р | Р | Р |
| End Notes | | | | | | |

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

| Key | |
|-----|---------------------------------|
| Р | Permitted Use |
| UP | Conditional Use Permit Required |
| | Use Not Allowed |

Non-Transect Zones 10-40.30.050

Industrial Zones

| RD | LI/LI-O | HI/HI-O | | | |
|-----------------------|--|--|--|--|--|
| ents | | | | | |
| | | | | | |
| 25' ¹ | 25' ¹ | 25' | | | |
| | | | | | |
| 15' | 15' | 15' | | | |
| 0' | 0' | 0' | | | |
| 15' | 15' | 15' | | | |
| | | | | | |
| 15' | 15' | 15' | | | |
| 10' | 0' | 0' | | | |
| | | | | | |
| 60' ² | 60' ² | 60' ² | | | |
| 25% | | | | | |
| | | | | | |
| 0.50 | 1.50 ³ | 2.50 ³ | | | |
| | | | | | |
| 20,000 sf | 20,000 sf | 20,000 sf | | | |
| 75' | 100' | 100' | | | |
| | 150' | 150' | | | |
| | | | | | |
| | – See Division10 | -50.50 | | | |
| See Division10-50.60 | | | | | |
| | - See Division10 | -50.70 — | | | |
| | – See Division10 | -50.80 | | | |
| See Division10-50.100 | | | | | |
| | 25' ¹ 15' 0' 15' 10' 60' ² 25% 0.50 20,000 sf 75' | 25' 1 25' 1 15' 0' 0' 15' 15' 15' 15' 15' 15' 10' 0' 150' | | | |

³ Retail uses allowed in these industrial zones are subject to additional FAR standards. See 10-40.30.050.F (Miscellaneous Requirements - LI-O and HI-O Zones).

| Key | | |
|-----|----------------|--|
| | Not Applicable | |

¹ Front setbacks along streets other than public arterial or collector streets, shall use side exterior setback standard. This includes buildings fronting private streets and shared driveways between parcels.

² A Conditional Use Permit shall be required for structures over 60 feet in height.

10-40.30.050 Non-Transect Zones

Industrial Zones

D. Miscellaneous Requirements - All Industrial Zones

Temporary uses shall be permitted in compliance with Section 10-20.40.150 (Temporary Use Permits).

E. Miscellaneous Requirements - RD Zone

- 1. Light industrial uses requiring a Conditional Use Permit shall be located in completely enclosed buildings, and be in compliance with performance standards (e.g., floor area ratio) and resource protection standards as established by the Planning Commission.
- 2. Building form in the RD Zone shall be designed to protect established research and development areas and to provide sufficient space for industrial uses to protect surrounding uses from danger of fire, explosions, toxic or noxious matter, radiation, smoke, dust and other hazards, and from offensive noise, vibration, odor, heat, glare, and other objectionable influences.
- 3. The City may require a written report from a recognized independent testing laboratory as to satisfactory levels or inherent dangers of materials or processes proposed in this district. Furthermore, the City may forward any such data submitted in the narrative report and/or independent testing laboratory report to the Arizona Department of Health Services for further study and recommendations.

F. Miscellaneous Requirements - LI-O and HI-O Zones

Allowed retail uses found in Table B are required to meet the following FAR standards:

| Area of Lot | Max Gross FAR | Max Net FAR |
|----------------------|---------------|-------------|
| Retail | 0.25 | 0.35 |
| Office/Lodging | 0.38 | 0.55 |
| Heavy Retail/Service | 0.30 | 0.42 |
| General Services | 0.25 | 0.42 |

Non-Transect Zones 10-40.30.060

10-40.30.060 Public and Open Space Zones

A. Intent

1. **PF**

The Public Facility (PF) Zone applies to areas of the City owned by public or quasi-public agencies. The PF Zone is intended to preserve and encourage the establishment of public lands and to provide an area within the City for active and passive recreation uses, parks, public open space, governmental buildings and facilities, schools and school grounds, quasi-public buildings and facilities, and related uses.

2. PLF

The Public Lands Forest (PLF) Zone applies to Coconino National Forest lands currently subject to the jurisdiction of the U.S. Forest Service (USFS). This Zone is intended to promote the management and preservation of habitat types and open space which is a part of the unique environmental characteristics of the City. All uses are subject to the provisions of applicable USFS policies, approvals and/or management provisions.

3. **POS**

The Public Open Space (POS) Zone applies to areas of the City that are appropriate for designation as public open space to allow for resource protection of the designated area in an essentially undeveloped state, and passive recreation uses.

10-40.30.060 Non-Transect Zones

Public and Open Space Zones

| B. Allowed Uses | | | | |
|---|--------------|-----------------|---------|---------------|
| Land Use ¹ | Specific Use | Public | and Ope | en Space Zone |
| Land Ose * | Regulations | PF ² | PLF | POS |
| Industrial, Manufacturing, Processing & Whole | esaling | | | |
| Quarrying Operations | 10-40.60.280 | UP | | |
| Ranching, Forestry & Animal Keeping | | | | |
| Forestry | | | Р | |
| Ranching | | | Р | |
| Recreation, Education & Assembly | | | | |
| Commercial Campgrounds | 10-40.60.130 | UP | | |
| Commercial Recreation Facilities, Indoor | | UP | | |
| Commercial Recreation Facilities, Outdoor | | UP | | |
| Libraries, Museums | | Р | | |
| Outdoor Public Uses, General | | Р | | |
| Open Spaces | | Р | Р | Р |
| Parks or Recreation Facilities | | | | |
| Active Recreation | | Р | | |
| Passive Recreation ³ | | Р | Р | Р |
| Schools - Public & Charter | | Р | | |
| Schools - Private | | UP | | |
| Universities and Colleges | | Р | | |
| Residential | | | | |
| Accessory Building and Structures | 10-40.60.020 | Р | | |
| Congregate Care Facilities | | Р | | |
| Employee Housing | | Р | | |
| Institutional Residential | | | | |
| Convents or Monasteries | | UP | | |
| Custodial Care Facilities | | UP | | |
| Homeless Shelter | 10-40.60.190 | | | |
| Emergency Shelters | | UP | | |
| Short Term Housing | | UP | | |
| Transitional Housing | | UP | | |
| Nursing homes | | UP | | |
| Sheltered Care Homes | | UP | | |

¹ A definition of each listed use type is in Chapter 10-80 (Definitions).

² A change in any allowed use to another allowed use shall be noticed in accordance with the requirements of Section 10-20.30.080 (Notice of Public Hearings).

³ Includes parking areas and restroom facilities.

Public and Open Space Zones

| B. Allowed Uses (continued) | | | | | |
|---|----------------|-----------------|---------|------------|------|
| Land Use ¹ | Specific Use | Public | and Ope | en Space Z | ones |
| Land Ose - | Regulations | PF ² | PLF | POS | |
| Services | | | | | |
| Cemeteries | | UP | | | |
| Governmental Offices | | Р | | | |
| Public Services | | | | | |
| Public Services Major | | UP | | | |
| Public Services Minor | | UP | UP | | |
| Emergency Services | | UP | | | |
| Telecommunication Facilities | | | | | |
| AM Broadcasting Facilities | 10-40.60.310 | UP | UP | | |
| Antenna-supporting Structure | 10-40.60.310 | UP | UP | | |
| Attached Telecommunication Facilities | 10-40.60.310 | Р | Р | | |
| Collocation Facility | 10-40.60.310 | Р | Р | | |
| FM/DTV/Low Wattage AM Broadcasting Facilities | 10-40.60.310 | Р | UP | | |
| Stealth Telecommunication Facilities | 10-40.60.310 | Р | Р | | |
| Transportation & Infrastructure | | | | | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р | Р | | |
| Wind Energy Production Facility | | UP | Р | | |
| Airports/Landing Strips, Heliports, or Helistops | 10-40.60.060 | UP | | | |
| Government Service/Maintenance Facilities | | Р | | | |
| Municipal Airports | | Р | | | |
| Urban Agriculture | | | | | |
| Community Gardens | 10-40.60.140 | Р | | | |
| End Notes | | | | | |
| ¹ A definition of each listed use type is in Chapter 10-80 | (Definitions). | | | | |
| | | | | | |
| Кеу | | | | | |
| P Permitted Use | | | | | |
| UP Conditional Use Permit Required | | | | | |

Use Not Allowed

10-40.30.060 Non-Transect Zones

Public and Open Space Zones

| C. Building Form Standards | PF | PLF | POS |
|--|------------------|---------------------|------------|
| Building Placement Requirem | ents | | |
| Setback | 1 | | 1 |
| Building Form Requirements | | | |
| Building Height (max.) | 60' ² | | |
| Coverage | | | |
| Density and Lot Size Requirer | nents | | |
| Gross FAR (max.) | 0.40 | | |
| Lot Requirements | | | |
| Lot Width | | | |
| Lot Depth | | | |
| Other Requirements | | | |
| Fences and Screening | | —— See Division | 0-50.50 — |
| Landscaping | | —— See Division | 0-50.60 |
| Lighting | | —— See Division | 10-50.70 — |
| Parking | | See Division | 0-50.80 |
| Signs | | See DivisionI | 0-50.100 — |
| End Notes | | | |
| ¹ Setback requirements shall be the | e same as | those of adjacent z | one. |

² A Conditional Use Permit required for structures over 60 feet in height.

| Key | | |
|-----|----------------|--|
| | Not Applicable | |

Non-Transect Zones 10-40.30.070

Sustainability Features of All Non-Transect Zones

10-40.30.070 Sustainability Features of All Non-Transect Zones

A. Intent

The sustainability features are intended to be applied where feasible for the purpose of encouraging and directing development in the City in a sustainable manner. 10-40.30.070 Non-Transect Zones

| Sustainability Features ^{1, 2} | RR/ER/RI/RIN | MR/HR | МН | SC/CC/HC | CS/CB |
|---|--------------|-------|----|----------|-------|
| Storm Water Features | | | | | |
| Bioretention Facility | | Α | | Α | Α |
| Disconnected Downspouts | Α | Α | Α | Α | Α |
| Flow Through and Infiltration Planters | Α | Α | А | Α | Α |
| Infiltration Trench | Α | Α | Α | Α | |
| Level Spreader | Α | Α | Α | Α | Α |
| Porous Paving | Α | Α | Α | Α | Α |
| Rain Garden | Α | Α | Α | Α | |
| Riffle Pools | Α | Α | Α | Α | |
| Swale | | | | | |
| Biofiltration | Α | | Α | Α | |
| Vegetated/Rock | Α | Α | Α | Α | |
| Urban Channel | | | | Α | Α |
| Vegetated Roof | Α | Α | Α | Α | Α |
| Water Conservation | | | | | |
| Cisterns | Α | Α | Α | Α | Α |
| Greywater - Simple | Α | Α | Α | Α | Α |
| Rain Barrels | Α | Α | Α | Α | Α |
| Energy Features | | | | | |
| Accessory Wind Energy System | Α | Α | Α | Α | Α |
| Wind Energy Production Facility | | | | | |
| Alternative Paving | | Α | | Α | Α |
| Biomass | Α | | Α | | |
| Geothermal Energy | А | Α | Α | Α | Α |
| Solar | | | | | |
| Farm | | | | | |
| Parking Lot Lighting | Α | Α | Α | Α | Α |
| Roof Paneling | Α | Α | Α | Α | Α |
| Water Heaters | Α | Α | Α | Α | Α |

² Sustainable features marked as "Not Allowed" may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the non-transect zone.

| Key | | |
|-----------|-------------|--|
| A Allowed | Not Allowed | |

¹ Additional standards for each Sustainability Feature apply. See City Stormwater Regulations and LID Manual.

Non-Transect Zones 10-40.30.070

Sustainability Features of All Non-Transect Zones

| Sustainability Features (continued) ^{1,2} | RD | LI/LI-O | HI/HI-O | PF | PLF / POS |
|--|----|---------|---------|----|-----------|
| Storm Water Features | | | | | |
| Bioretention Facility | Α | Α | Α | Α | |
| Disconnected Downspouts | Α | Α | Α | Α | |
| Flow Through and Infiltration Planters | Α | Α | Α | А | |
| Infiltration Trench | Α | Α | Α | Α | Α |
| Level Spreader | Α | Α | Α | Α | Α |
| Porous Paving | Α | Α | Α | Α | |
| Rain Garden | Α | Α | Α | Α | A |
| Riffle Pools | Α | Α | Α | Α | A |
| Swale | | | | | |
| Biofiltration | Α | Α | Α | Α | Α |
| Vegetated/Rock | Α | Α | Α | Α | Α |
| Urban Channel | Α | Α | Α | Α | |
| Vegetated Roof | Α | Α | Α | Α | A |
| Water Conservation | | | | | |
| Cisterns | Α | Α | Α | Α | |
| Greywater - Simple | | | | Α | |
| Rain Barrels | Α | Α | Α | Α | Α |
| Energy Features | | | | | |
| Accessory Wind Energy System | Α | Α | Α | Α | A / |
| Wind Energy Production Facility | | | | | A / |
| Alternative Paving | Α | Α | Α | Α | |
| Biomass | | Α | Α | Α | |
| Geothermal Energy | Α | Α | Α | Α | |
| Solar | | | | | |
| Farm | | Α | Α | Α | |
| Parking Lot Lighting | Α | Α | Α | Α | |
| Roof Paneling | Α | Α | Α | Α | Α |
| Water Heaters | Α | Α | Α | Α | Α |

² Sustainable features marked as "Not Allowed" may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the non-transect zone.




¹ Additional standards for each Sustainability Feature apply. See City Stormwater Regulations and LID Manual.

10-40.30.070 Non-Transect Zones

This page intentionally left blank

Division 10-40.40 Transect Zones



Sections:

| 10-40.40.010 | Purpose |
|--------------|-------------------------------|
| 10-40.40.020 | Applicability |
| 10-40.40.030 | T1 Natural (T1) Standards |
| 10-40.40.040 | T2 Rural (T2) Standards |
| 10-40.40.050 | T3 Neighborhood 1 (T3N.1) |
| | Standards |
| 10-40.40.060 | T3 Neighborhood 2 (T3N.2) |
| | Standards |
| 10-40.40.070 | T4 Neighborhood 1 (T4N.1) |
| | Standards |
| 10-40.40.080 | T4 Neighborhood 2 (T4N.2) |
| | Standards |
| 10-40.40.090 | T5 Main Street (T5) Standards |
| 10-40.40.100 | T6 Downtown (T6) Standards |
| 10-40.40.110 | Traditional Neighborhood |
| | District (TND) Standards |
| | |

10-40.40.010 Purpose

This Division provides regulatory standards governing land use, building form, and development within transect zones. The standards in this Division are a reflection of the community's vision for implementing the intent of the General Plan to preserve natural areas, such as the Coconino National Forest, to create walkable, mixed-use neighborhoods, and to reinforce downtown. The transect zones have been created in relation to the context and setting of each area, focusing on physical form rather than separation of uses as an organizing principle. Where parcels have both non-transect and transect zones applied, the transect zones are optional, and are provided as alternatives to the underlying non-transect zones described in the previous Division. They are intended to ensure that proposed development is compatible with existing and future development and produces an environment of desirable character, consistent with the General Plan.

10-40.40.020 Transect Zones

10-40.40.020 Applicability

A. The requirements of this Division shall apply to all proposed development within transect zones, and shall be considered in combination with any applicable standards in Division 10-40.50 (Overlay Zones) and the standards for the applicable zone in Chapter 10-50 (Supplemental to Zones).

- B. In transect zones where a historic overlay district applies (See Section 10-40.50.030 (Overlay Zones)), the historic district standards shall apply in addition to those applied through the transect zones.
- C. Based on the Zoning Map or an approved regulating plan, a parcel may be designated with both a non-transect and a transect zone designation. In this case, a property owner may apply either the standards of the non-transect zone or the transect zone, but in no case may the standards from both zones be applied at the same time. If a property owner decides to select a transect zone they must sign before a notary public a contractual agreement that runs with the land on a form prepared by the City and approved by the City Attorney's Office, stating that the transect zone standards hold precedence over the non-transect zone standards when in conflict. The City shall record the contractual agreement.



10-40.40.030 TI Natural (TI) Standards

A. Zone Intent and Description

The TI Natural (TI) Zone applies to areas of the City designated to preserve lands that do not allow significant development of any kind. It consists of lands unsuitable for settlement due to topography, hydrology or vegetation. These lands are intended to promote the management and preservation of habitat types which form a part of the unique environmental characteristics of the City and often contain trails.

B. Allowed Building Types

None

10-40.40.030 Transect Zones

TI Natural (TI) Standards

C. Sustainable Features 1,2 **Water Conservation Storm Water Features Biofiltration Facility** Cisterns Disconnected Downspouts Greywater - Simple Flow Through and Infiltration Planters Rain Barrels Infiltration Trench Α **Energy Features** Level Spreader Accessory Wind Energy System Α Porous Paving Alternative Paving Α Rain Garden Α **Biomass** Riffle Pools Geothermal Energy Swale Solar **Biofiltration** Α Farm Α Vegetated/Rock Α Parking Lot Lighting Urban Channel **Roof Paneling** Α Vegetated Roof Α Water Heaters Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

TI Natural (TI) Standards

D. Allowed Uses ³


| D. Allowed Oses | | |
|------------------------------------|-----------------------------|----|
| Land Use ² | Specific Use Regulations | TI |
| Ranching, Forestry, and Rese | earch | |
| Forestry | | Р |
| Ranching | | Р |
| Recreation, Education & Pub | lic Assembly | |
| Commercial Recreation | | |
| Facilities, Outdoor | | UP |
| General Public Use, Outdoor | | Р |
| Parks and Open Space | 10-70 | Р |
| Telecommunication Facilitie | s | |
| AM Broadcasting Facilities | 10-40.60.310 | UP |
| Antenna-Supporting Structure | 10-40.60.310 | UP |
| Attached Telecommunication | 10-40.60.310 | Р |
| Facilities | | |
| Collocation Facility | 10-40.60.310 | Р |
| FM/DTV Broadcasting Facilities | 10-40.60.310 | Р |
| Stealth Telecommunication | 10-40.60.310 | Р |
| Facilities | | |
| Transportation & Infrastruct | ure | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р |
| Urban Agriculture | | |
| Community Gardens | 10-40.60.140 | Р |

| Key | | |
|-----------|---------------------------------|--|
| Р | Permitted Use | |
| UP | Conditional Use Permit Required | |
| End Notes | | |

³See Chapter 10-80 (Definitions) for use type definitions.

Transect Zones

This page intentionally left blank



10-40.40.040 T2 Rural (T2) Standards

A. Zone Intent and Description

The Rural (T2) Zone applies to areas that consist of sparsely settled lands in an open or cultivated state. This Zone may include such uses as large lot residential, farms where animals are raised, parks, squares, woodlands, grasslands, trails, stormwater management features, and open space areas. Existing buildings are typically residential in scale, but may also be civic or recreational in nature.

B. Allowed Building Types¹


Carriage House


Single-Family Estate

¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

Transect Zones

T2 Rural (T2) Standards





Key

---- ROW/Property Line

Building Area

--- Building Setback Line

| C. Building Placement |
|---|
| Setback (Distance from ROW/Property Line) |
| Principal Building |

| Front | 48' min. | A |
|-------------------------|-------------------|---|
| Side Street/Civic Space | 48' min. | B |
| Side | 96' min. combined | 9 |
| Rear | 96' min. | O |

| Accessory | Building | or | Structure |
|-----------|----------|----|-----------|
|-----------|----------|----|-----------|

| Front | 20' min. + bldg setback |
|-------|-------------------------|
| Side | 10' min. |
| Rear | 10' min. |


| D. Building Form ¹ | | |
|-------------------------------|------------------------------|----------|
| Height | | |
| Principal Building | | |
| Stories | $2-\frac{1}{2}$ stories max. | |
| To Eave/Parapet | 24' max. | 3 |
| Overall | 35' max. | 3 |
| Carriage House, Accessory | | |
| Building and Structure | | |
| Overall | 25' max. | |
| Ground Floor Finish Level: | 18" min. above | G |
| Principal Building | grade | |
| Ground Floor Ceiling | 9' min. clear | • |
| Upper Floor(s) Ceiling | 8' min. clear | 0 |
| 10 Division 10 F0 H0 (C | Cara Duildina Turas) | · |


¹See Division 10-50.110 (Specific to Building Types) for additional building form regulations.

| Footprint | |
|---------------|----------|
| Lot Coverage | 20% max. |
| Miscellaneous | |

Mansard roof forms are not allowed.

T2 Rural (T2) Standards





Key

- ---- ROW/Property Line
- Encroachment Area
- --- Building Setback Line

| E. Encroachments and Frontage Types | | |
|-------------------------------------|---------|---|
| Encroachments ² | | |
| Front | 5' max. | 0 |
| Side Street/Civic Space | 5' max. | K |
| Side | 5' max. | 0 |
| Rear | 5' max. | • |

Encroachments are not allowed within a street ROW.

²See Division 10-50.40 (Encroachments) for allowed encroachments.

| Allowed Private Frontage Types ³ | | | |
|---|-------|--|--|
| Common Yard | Stoop | | |
| Porch | | | |

³ See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.

Key

- ---- ROW/Property Line
- Parking Area
- --- Parking Setback Line

F. Required Parking Spaces⁴ Residential Uses Studio/I Bedroom I space/unit min. 2+ Bedrooms 2 spaces/unit min. Service Uses 2 spaces/I,000 sf min.

⁴Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

| Location (Setback from | ROW/Property Lin | ie) |
|-------------------------------|------------------|-----|
| Front | | 0 |
| Covered/Attached | 70' min. | |
| Uncovered | 48' min. | |
| Side Street/Civic Space | 48' min. | 0 |
| Side | I0' min. | P |
| Rear | 10' min. | 0 |
| Miscellaneous | | |

See Division 10-50.80 (Parking Standards) for additional parking regulations.

10-40.40.040 Transect Zones

T2 Rural (T2) Standards

G. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Cisterns Α Disconnected Downspouts Α Greywater - Simple Α Α Flow Through and Infiltration Planters Rain Barrels Infiltration Trench **Energy Features** Level Spreader Α Accessory Wind Energy System Α Porous Paving Alternative Paving Α Rain Garden Α Α **Biomass** Riffle Pools Geothermal Energy Swale Solar **Biofiltration** Α Farm Α Vegetated/Rock Α Parking Lot Lighting Α Urban Channel **Roof Paneling** Α Vegetated Roof Α Water Heaters Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T2 Rural (T2) Standards

H. Allowed Uses

| Land Use ³ | Specific Use Regulations | Т2 | |
|--------------------------------|-----------------------------|----------------|--|
| Ranching, Forestry & Resource | | | |
| Animal Keeping | 10-40.60.070 | Р | |
| Nurseries | | Р | |
| Ranching | | Р | |
| Residential | | | |
| Accessory Building and | | Р | |
| Structures | 10-40.60.020 | | |
| Accessory Dwelling Unit | 10-40.60.030 | Р | |
| Co-Housing | 10-40.60.120 | Р | |
| Congregate Care Facilities | | UP | |
| Dwelling: Single-Family | | Р | |
| Group Home | | Р | |
| Home Occupation | 10-40.60.180 | Р | |
| Institutional Residential | | | |
| Custodial Care Facilities | | UP | |
| Nursing Homes | | UP | |
| Homeless Shelter | 10-40.60.190 | UP | |
| Sheltered Care Home | | UP | |
| Recreation, Education & Pu | blic Assembly | Uses | |
| Commercial Campgrounds | 10-40.60.130 | UP | |
| Commercial Recreation | | | |
| Facilities, Outdoor | | UP | |
| Libraries, Museums | | UP | |
| Meeting Facilities, Public and | | | |
| Private | 10-40.60.230 | P^4 | |
| Outdoor Public Use, General | | Р | |
| Schools - Private | | P | |
| Schools - Public & Charter | | P ⁵ | |

| Land Use ³ | Specific Use Regulations | T2 |
|------------------------------------|-----------------------------|----|
| Services | | |
| Bed & Breakfast | 10-40.60.110 | Р |
| Cemeteries | | Р |
| Crematoriums | | UP |
| Daycare | 10-40.60.150 | |
| Home | | Р |
| Centers | | Р |
| Public Services | | |
| Emergency Services | | UP |
| Telecommunication Facilitie | es . | |
| AM Broadcasting Facilities | 10-40.60.310 | UP |
| Antenna-Supporting Structure | 10-40.60.310 | UP |
| Attached Telecommunication | | |
| Facilities | 10-40.60.310 | Р |
| Collocation Facility | 10-40.60.310 | Р |
| FM/DTV Broadcasting Facilities | 10-40.60.310 | Р |
| Stealth Telecommunication | | |
| Facilities | 10-40.60.310 | Р |
| Transportation & Infrastruct | ture | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р |
| Urban Agriculture | | |
| Community Gardens | 10-40.60.140 | Р |
| Greenhouses | | Р |
| | | |
| | | |

| Key | |
|-----|---------------------------------|
| Р | Permitted Use |
| UP | Conditional Use Permit Required |
| | |


³See Chapter 10-80 (Definitions) for use type definitions.

⁴UP required if liquor is sold or if facilities exceed 250 seats.

⁵ Charter schools proposed in existing single-family residences shall be located on residential lots I acre or greater.

Transect Zones

This page intentionally left blank



10-40.40.050 T3 Neighborhood I (T3N.I) Standards

A. Zone Intent and Description

The primary intent of this Zone is to reinforce established neighborhoods and maintain neighborhood stability in walkable urban areas. These neighborhoods are compact enough to support basic public transit alternatives. While residential is the primary use type, homeowner offices and small neighborhood supporting uses, such as music classes and artist studios, are encouraged in ancillary buildings to further reinforce the walkability of the neighborhood.

This Zone is intended to preserve and build upon the existing pattern of development. New development, renovations, and additions should therefore be in character and scale with existing valued patterns.

This Zone may also be applied to the creation of new neighborhoods in combination with, or independent of, the T3N.2 Zone. It provides lower maximum building height and larger setbacks than T3N.2.

B. Allowed Building Types¹


| Carriage House | Single-Family Estate |
|------------------------------|-------------------------------------|
| Single-Family House | Duplex, Side-by-Side ² |
| Duplex, Stacked ² | Duplex, Front-and-Back ² |
| Bungalow Court ² | |


¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

²Permitted only if the building type exists at the effective date of this Zoning Code.

10-40.40.050 Transect Zones

T3 Neighborhood I (T3N.I) Standards





Key

- ---- ROW/Property Line
- Building Area
- --- Building Setback Line
- Façade Zone

C. Building Placement

Setback (Distance from ROW/Property Line)

| Principal Building | |
|----------------------------|-----------------------------|
| Front ¹ | 20' min.; 30' max. 🛕 |
| Front Façade within Façade | |
| Zone | 50% min. |
| Side Street/Civic Space | 12' min.; 25' max. B |
| Side | 5' min.; 12' min. |
| | combined G |
| Rear | 25' min. |

| Accessory Building or Structure | |
|---------------------------------|------------------|
| Front | 20' min. |
| Side | 3' min.; 6' max. |
| Rear | 3' min. |

¹The setback may match an existing adjacent building as follows: the building may be placed to align with the façade of the front most immediately adjacent property, for a width no greater than that of the adjacent property's façade that encroaches into the minimum setback.


| D. Building Form ² | | |
|-------------------------------|------------------------------|-------------|
| Height | | |
| Principal Building | | |
| Stories | $2-\frac{1}{2}$ stories max. | |
| To Eave/Parapet | 24' max. | (3 |
| Overall | 35' max. | (3) |
| Accessory Building, Accessory | | |
| Structure or Carriage House | | |
| Stories | $1-\frac{1}{2}$ stories max. | |
| To Eave/Parapet | 12' max. | |
| Overall | 24' max. | |
| Ground Floor Finish Level: | 18" min. above | 0 |
| Principal Building | sidewalk | |
| Ground Floor Ceiling | 8' min. clear | • |
| Upper Floor(s) Ceiling | 8' min. clear | 0 |
| 22 | | |


²See Division 10-50.110 (Specific to Building Types) for additional building form regulations.

| Footprint | |
|---------------|----------|
| Lot Coverage | 40% max. |
| Miscellaneous | |

Mansard roof forms are not allowed.

T3 Neighborhood I (T3N.I) Standards





Key

---- ROW/Property Line

Encroachment Area

--- Building Setback Line

| E. Encroachments and Frontage | | |
|-------------------------------|----------|----------|
| Encroachments ⁴ | | |
| Front | 5' max. | 0 |
| Side Street/Civic Space | 5' max. | ß |
| Side | 3' max. | • |
| Rear | | M |
| Property Line | 5' max. | |
| Rear Lane or Alley | 15' max. | |

Encroachments are not allowed within a street ROW.

⁴See Division 10-50.40 (Encroachments) for allowed encroachments.

| Allowed Private Frontage Types ⁵ | | |
|---|--|--|
| Common Yard | | |
| Porch | | |

⁵ See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.

Key

---- ROW/Property Line

Parking Area

--- Parking Setback Line

| F. Required | Parking |
|-------------|---------|
| Spaces 6 | |

| Residential Uses | |
|------------------|------------------------|
| Studio/I Bedroom | 0.5 space/unit min. |
| 2+ Bedrooms | 2 spaces/unit min. |
| Service Uses | 2 spaces/1,000 sf min. |

⁶ Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

Location (Setback from ROW/Property Line)

| Front | | Ø |
|-------------------------|----------------|-----------|
| Covered/Attached | 50' min. | |
| Uncovered | Match front fa | çade min. |
| Side Street/Civic Space | I2' min. | 0 |
| Side | 0' min. | P |
| Rear | 0' min. | 0 |
| | | |

Miscellaneous

Linear Feet of Front or Side

Façade that may be Garage 35% max.

See Division 10-50.80 (Parking Standards) for additional parking regulations.

10-40.40.050 Transect Zones

T3 Neighborhood I (T3N.I) Standards

G. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Cisterns Α Disconnected Downspouts Α Greywater - Simple Α Flow Through and Infiltration Planters Α Rain Barrels Α Infiltration Trench Α **Energy Features** Level Spreader Α Accessory Wind Energy System Α Porous Paving Α Alternative Paving Rain Garden Α **Biomass** Riffle Pools Α Geothermal Energy Swale Solar **Biofiltration** Α Farm Vegetated/Rock Α Parking Lot Lighting Α Urban Channel Α **Roof Paneling** Α Vegetated Roof Α Water Heaters Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T3 Neighborhood I (T3N.I) Standards

H. Allowed Uses

| | , | |
|-----------------------------------|-----------------------------|-------------------|
| Land Use ³ | Specific Use Regulations | T3N.I |
| Residential | | |
| Accessory Building and Structures | 10-40.60.020 | Р |
| Accessory Dwelling Unit | 10-40.60.040 | Р |
| Co-Housing | 10-40.60.120 | Р |
| Congregate Care Facilities | | UP |
| Dwelling: Multiple-Family | | P ⁴ |
| Dwelling: Secondary Single-Family | | Р |
| Dwelling: Single-Family | | Р |
| Dwelling: Two-Family | | P ⁴ |
| Group Home | | Р |
| Home Occupation | 10-40.60.180 | Р |
| Institutional Residential | 10-40.60.190 | UP |
| Rooming and Boarding Facilities | | UP |
| Recreation, Education & Publi | c Assembly | |
| Dance or Music Studio ≤ 650 sf | | P^5 |
| Meeting Facilities, Public and | | |
| Private | 10-40.60.230 | P/UP ⁶ |
| Outdoor Public Use, General | | Р |
| Libraries, Museums | | |
| ≤ 2,500 sf | | Р |
| > 2,500 sf | | UP |
| Schools - Private | | Р |
| Schools - Public & Charter | | P 7 |

| Land Use ³ | Specific Use Regulations | T3N.I |
|-------------------------------------|-----------------------------|-------|
| Retail Trade | | |
| Neighborhood Market | | UP |
| ≤ 1,500 sf | | |
| Services | | |
| Bed & Breakfast | 10-40.60.110 | Р |
| Cemeteries | | UP |
| Daycare | 10-40.60.150 | |
| Home | | Р |
| Centers | | UP |
| Public Services | | |
| Public Services Minor | | Р |
| Emergency Services | | UP |
| Telecommunication Facilities | | |
| Stealth Telecommunication | | |
| Facilities | 10-40.60.310 | Р |
| Transportation & Infrastructu | re | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р |
| Urban Agriculture | | |
| Community Gardens | 10-40.60.140 | Р |

| Key | | |
|-----|---------------------------------|--|
| Р | Permitted Use | |
| UP | Conditional Use Permit Required | |
| | · | |

- ³See Chapter 10-80 (Definitions) for use type definitions.
- ⁴ Permitted only if the use exists at the effective date of this code.
- ⁵Not allowed on the ground floor unless behind an allowed ground-floor use.
- ⁶UP required if liquor is sold or if facilities exceed 250 seats.
- ⁷ Charter schools proposed in existing single-family residences shall be located on residential lots I acre or greater.

10-40.40.050 Transect Zones

This page intentionally left blank



10-40.40.060 T3 Neighborhood 2 (T3N.2) Standards

A. Zone Intent and Description

The primary intent of this Zone, in combination with a mix of other transect zones, is to create new walkable urban neighborhoods that are in character with Flagstaff's older neighborhoods. These neighborhoods are compact enough to support basic public transit alternatives. While residential is the primary use type, homeowner offices and small neighborhood supporting uses, such as music classes and artist studios, are encouraged in ancillary buildings to further reinforce the walkability of the neighborhood.

This Zone is intended to preserve and build upon the existing pattern of development. New development, renovations, and additions should therefore be in character and scale with existing valued patterns.

This Zone may also be applied to the creation of new neighborhoods in combination with, or independent of the T3N.I Zone. It provides a higher maximum building height and smaller setbacks than T3N.I.


B. Allowed Building Types¹


| Carriage House | Single-Family Estate |
|------------------------|-----------------------|
| Single-Family House | Single-Family Cottage |
| Duplex, Side-by-Side | Duplex, Stacked |
| Duplex, Front-and-Back | Bungalow Court |
| Live/Work | |

¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

10-40.40.060 Transect Zones

T3 Neighborhood 2 (T3N.2) Standards





Key

- ---- ROW/Property Line
- Building Area
- --- Building Setback Line
- Façade Zone

C. Building Placement

Setback (Distance from ROW/Property Line)

Principal Building

| • | i incipai banang | | |
|---|---------------------------------|--------------------|---|
| | Front ¹ | 12' min.; 25' max. | A |
| | Front Façade within Façade Zone | 50% min. | |
| | Side Street/Civic Space | 10' min.; 30' max. | B |
| | Side ² | 5' min.; 12' min. | |
| | | combined | 9 |
| | Rear | I2' min. | 0 |
| Α | ccessory Building or Structure | | |
| | Front | 20' min. | |
| | Side | 3' min.; 6' max. | |
| | Rear | 3' min. | |

¹The setback may match an existing adjacent building as follows: the building may be placed to align with the façade of the front most immediately adjacent property, for a width no greater than that of the adjacent property's façade that encroaches into the minimum setback.

D. Building Form³

Height Principal Building

| · · · · · c.par Banan 6 | | |
|-------------------------------|----------------|---|
| Stories | 3 stories max. | |
| To Eave/Parapet | 32' max. | Œ |
| Overall | 44' max. | G |
| Accessory Building, Accessory | | |

Structure or Carriage House

Principal Building

| Stories | 2 stories max. |
|-----------------|----------------|
| To Eave/Parapet | 18' max. |

| To Euveri ai apec | 10 max. |
|----------------------------|----------------|
| Overall | 28' max. |
| Ground Floor Finish Level: | 18" min. above |

| Ground Floor Ceiling | 8' min. clear | C |
|------------------------|---------------|---|
| Upper Floor(s) Ceiling | 8' min. clear | 0 |

sidewalk

³ See Division 10-50.110 (Specific to Building Types) for additional building form regulations.


| Footprint | |
|---------------|----------|
| Lot Coverage | 50% max. |
| Miscellaneous | |


Mansard roof forms are not allowed.

0

²No side setback is required along the shared property line between side-by-side duplexes.

T3 Neighborhood 2 (T3N.2) Standards





Key

---- ROW/Property Line

Encroachment Area

--- Building Setback Line

| E. Encroachments and Frontage Types | | |
|-------------------------------------|---------|---|
| Encroachments ⁴ | | |
| Front | 5' max. | 0 |
| Side Street/Civic Space | 5' max. | ß |
| Side | 3' max. | • |
| Rear | | M |
| Property Line | 5' max. | |
| Rear Lane or Alley | 5' max. | |

Encroachments are not allowed within a street ROW.

⁴ See Division 10-50.40 (Encroachments) for allowed encroachments.

| Allowed Private Frontage Types ⁵ | | |
|---|-------|--|
| Common Yard | Stoop | |
| Porch | | |

⁵ See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.

Key

---- ROW/Property Line

Parking Area

--- Parking Setback Line

F. Required Parking

Spaces⁶

| Residential Uses | |
|------------------|------------------------|
| Studio/I Bedroom | I space/unit min. |
| 2+ Bedrooms | 2 spaces/unit min. |
| Service Uses | 2 spaces/I,000 sf min. |

⁶ Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

Location (Setback from ROW/Property Line)

| Front | | 0 |
|-------------------------|----------------|-----------|
| Covered/Attached | 40' min. | |
| Uncovered | Match front fa | çade min. |
| Side Street/Civic Space | 5' min. | 0 |
| Side | 0' min. | P |
| Rear | 0' min. | 0 |
| | | |

Miscellaneous

Linear Feet of Front or Side

Façade that may be Garage 35% max.

See Division 10-50.80 (Parking Standards) for additional parking regulations.

10-40.40.060 Transect Zones

T3 Neighborhood 2 (T3N.2) Standards

G. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Α Cisterns Α Disconnected Downspouts Α Greywater - Simple Α Flow Through and Infiltration Planters Α Rain Barrels Α Infiltration Trench Α **Energy Features** Level Spreader Α Α Accessory Wind Energy System Porous Paving Α Alternative Paving Α Rain Garden Α **Biomass** Riffle Pools Α Geothermal Energy Swale Solar **Biofiltration** Α Farm Vegetated/Rock Α Parking Lot Lighting Α Urban Channel Α **Roof Paneling** Α Water Heaters Vegetated Roof Α Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T3 Neighborhood 2 (T3N.2) Standards

H. Allowed Uses

| Land Use ³ | Specific Use Regulations | T3N.2 |
|--|-----------------------------|-------------------|
| Residential | | |
| Accessory Building and Structures | 10-40.60.020 | Р |
| Accessory Dwelling Unit | 10-40.60.030 | Р |
| Co-Housing | 10-40.60.120 | Р |
| Congregate Care Facilities | | UP |
| Dwelling: Multiple-Family | | Р |
| Dwelling: Secondary Single-Family | | Р |
| Dwelling: Single-Family | | Р |
| Dwelling: Two-Family | | Р |
| Group Home | | Р |
| Home Occupation | 10-40.60.180 | Р |
| Institutional Residential | 10-40.60.190 | UP |
| Live/Work | | Р |
| Rooming and Boarding Facilities | | UP |
| Recreation, Education & Public Assembly Uses | | |
| Dance, Music or Studio ≤ 650 sf | | P^4 |
| Libraries, Museums | | |
| ≤ 2,500 sf | | Р |
| > 2,500 sf | | UP |
| Meeting Facilities, Public and | | |
| Private | 10-40.60.230 | P/UP ⁵ |
| Outdoor Public Use, General | | Р |
| Schools - Private | | Р |
| Schools - Public & Charter | | P 6 |


| Land Use ³ | Specific Use Regulations | T3N.2 |
|-------------------------------------|-----------------------------|-------|
| Retail Trade | | |
| Neighborhood Market | | Р |
| ≤ 1,500 sf | | |
| Services | | |
| Bed & Breakfast | 10-40.60.110 | Р |
| Cemeteries | | UP |
| Crematoriums | | UP |
| Daycare | 10-40.60.150 | |
| Home | | Р |
| Centers | | UP |
| Public Services | | |
| Public Services Minor | | Р |
| Emergency Services | | UP |
| Telecommunication Facilities | | |
| Stealth Telecommunication | | |
| Facilities | 10-40.60.310 | Р |
| Transportation & Infrastructu | ıre | |
| Accessory Wind Energy Systems | 10-40.60.040 | Р |
| Urban Agriculture | | |
| Community Gardens | 10-40.60.140 | Р |

| Key | |
|-----------|---------------------------------|
| Р | Permitted Use |
| UP | Conditional Use Permit Required |
| End Notes | |

- ³ See Chapter 10-80 (Definitions) for use type definitions.
- ⁴Not allowed on the ground floor unless behind an allowed ground-floor use.
- ⁵UP required if liquor is sold or if facilities exceed 250 seats.
- ⁶ Charter Schools proposed in existing single-family residences shall be located on residential lots I acre or greater.

Transect Zones

This page intentionally left blank



10-40.40.070 T4 Neighborhood I (T4N.I) Standards

A. Zone Intent and Description

The primary intent of this Zone is to reinforce established neighborhoods and to maintain neighborhood stability in walkable urban areas, while allowing such areas to evolve with the integration of small building footprints and medium density building types. Appropriate dwelling units might include bungalow courts, duplexes, and apartment houses, which are typically smaller than those found in other zones. The mixture of building types and unit sizes provides a variety of housing choices which reinforces the walkable nature of the neighborhood, supports adjacent neighborhood-serving commercial uses, and supports basic public transportation alternatives.

While residential is the primary use type in T4N.1 Zone, homeowner offices and small neighborhood supporting uses, such as music classes and artist studios, are encouraged in ancillary buildings to further reinforce the walkability of the neighborhood.

The intent of the T4N.I-O Sub-Zone is to provide the appropriate form and scale for areas that are transitional between commercial and residential uses, and to allow the neighborhood commercial areas to expand as the market demand grows. The intended form is the same as T4N.I, but the allowed range of use types is broader and includes commercial and other non-residential uses as well as residential uses.

The T4N.I Zone and T4N.I-O Sub-Zone may also be applied to the creation of new neighborhoods in combination with, or independent of, the T4N.2 Zone. They provide a lower maximum building height and larger setbacks than T4N.2.

B. Sub-Zones

T4N.I-O (Open)

C. Allowed Building Types¹


| Carriage House | Apartment House |
|------------------------|------------------------|
| Single-Family House | Duplex, Stacked |
| Duplex, Side-by-Side | Bungalow Court |
| Duplex, Front-and-Back | Live/Work ² |
| | |


Townhouse

¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

² Allowed only in open sub-zone(s).

T4 Neighborhood I (T4N.I) Standards





Key

- ---- ROW/Property Line
- Building Area
- --- Building Setback Line
- Façade Zone

D. Building Placement

Setback (Distance from ROW/Property Line)

Principal Building

| - | Front ¹ | 15' min.; 30' max. 🗛 | | |
|----|---------------------------------|-----------------------------|--|--|
| - | Front Façade within Façade Zone | 50% min. | | |
| | Side Street/Civic Space | 10' min.; 15' max. B | | |
| | Side ² | 5' min., 15' min. | | |
| | | combined G | | |
| ı | Rear | 15' min. | | |
| Ac | cessory Building or Structure | | | |
| ı | Front | 20' min. | | |
| | Side | 0' min.; 3' max. | | |
| | Rear | 3' min. | | |

¹The setback may match an existing adjacent building as follows: the building may be placed to align with the façade of the front most immediately adjacent property, for a width no greater than that of the adjacent property's façade that encroaches into the minimum setback.

Miscellaneous

Upper-floor units must have a primary entrance along a street façade or to a courtyard.

Ground-floor residential units along a street must have individual entries.

| E. | Bui | lding | Form ³ |
|----------------|-----|-------|-------------------|
| L _a | iah | | |

Principal Building

Overall

| Stories | $3-\frac{1}{2}$ stories max. |
|-----------------|------------------------------|
| To Eave/Parapet | 34' max. |

45' max.

Accessory Building, Accessory

Structure or Carriage House

Stories 2 Stories max.

To Eave/Parapet 18' max.

Overall 28' max.

Ground Floor Finish Level 18" min. above sidewalk

Ground Floor Ceiling 8' min. clear

Upper Floor(s) Ceiling 8' min. clear

³See Division 10-50.110 (Specific to Building Types) for additional building form regulations.

Footprint

Depth, ground-floor residential space along primary street

| frontage | 30' min. |
|--------------|----------|
| Lot Coverage | 60% max. |

Miscellaneous


Mansard roof forms are not allowed.


(3 (3

G

²No side setback is required along the shared property line between side-by-side duplexes.

T4 Neighborhood I (T4N.I) Standards





Key

---- ROW/Property Line

Encroachment Area

--- Building Setback Line

| F. Frontage Types and Encroachments | | |
|-------------------------------------|---------|------------|
| Encroachments ⁴ | | |
| Front | 5' max. | 0 |
| Side Street/Civic Space | 5' max. | K |
| Side | 3' max. | • |
| Rear | | (1) |
| Property Line | 0' max. | |
| Rear Lane or Alley | 3' max. | |

Encroachments are not allowed within a street ROW.

⁴ See Division 10-50.40 (Encroachments) for allowed encroachments.

| Allowed Private Frontage Types ⁵ | | |
|---|-----------|--|
| Stoop | Forecourt | |
| Porch | | |

⁵ See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.

Key

---- ROW/Property Line

Parking Area

--- Parking Setback Line

| G. Required Parking | |
|----------------------------|------------------------|
| Spaces ⁶ | |
| Residential Uses | |
| Studio/I Bedroom | I space/unit min. |
| 2+ Bedrooms | 2 spaces/unit min. |
| Retail Trade, Service Uses | |
| ≤2,000 sf | No spaces required |
| >2,000 sf | 3 spaces/I,000 sf min. |
| | above first 2,000 sf |

⁶ Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

| - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | / · | | |
|---|---------------------------|--|--|
| Location (Setback from ROW/Property Line) | | | |
| Front | 0 | | |
| Covered/Attached | 50' min. | | |
| Uncovered | Match front façade min. | | |
| Side Street/Civic Space | 5' min. | | |
| Side | 0' min. | | |
| Rear | 0' min. Q | | |
| Miscellaneous | | | |
| Linear Feet of Front or Side | | | |
| Façade that may be Garage | 35% max. | | |
| See Division 10-50.80 (Parking | Standards) for additional | | |
| parking regulations. | | | |

10-40.40.070 Transect Zones

T4 Neighborhood I (T4N.I) Standards

H. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Α Cisterns Α Disconnected Downspouts Α Greywater - Simple Α Flow Through and Infiltration Planters Α Rain Barrels Α Infiltration Trench Α **Energy Features** Level Spreader Α Α Accessory Wind Energy System Porous Paving Α Alternative Paving Α Rain Garden Α **Biomass** Riffle Pools Α Geothermal Energy Α Swale Solar **Biofiltration** Farm Vegetated/Rock Α Parking Lot Lighting Α Urban Channel Α **Roof Paneling** Α Water Heaters Vegetated Roof Α Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

End Notes

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T4 Neighborhood I (T4N.I) Standards

| I. Allowed Uses | | | |
|------------------------------|-----------------------------|----------------|----------------|
| Land Use ³ | Specific Use Regulations | T4N.I | T4N.I-O |
| Residential | | | |
| Accessory Building and | | | |
| Structures | 10-40.60.020 | P ⁴ | P ⁴ |
| Accessory Dwelling Unit | 10-40.60.030 | Р | Р |
| Co-Housing | 10-40.60.120 | Р | Р |
| Congregate Care Facilities | | Р | Р |
| Dwelling: Multiple-Family | | Р | Р |
| Dwelling: Secondary | | | |
| Single-Family | | Р | Р |
| Dwelling: Single-Family | | Р | Р |
| Dwelling: Two-Family | | Р | Р |
| Group Home | | Р | Р |
| Home Occupation | 10-40.60.180 | Р | Р |
| Institutional Residential | 10-40.60.190 | UP | UP |
| Live/Work | | - | Р |
| Rooming and Boarding | | | |
| Facilities | | UP | UP |
| Recreation, Education & | Public Asse | mbly | |
| Libraries, Museums | | | |
| ≤ 2,500 sf | | Р | Р |
| > 2,500 sf | | UP | UP |
| Meeting Facilities, Public | | | |
| and Private | 10-40.60.230 | P ⁵ | P ⁵ |
| Schools - Private | | Р | Р |
| Schools - Public & Charter | | Р | P |
| Retail Trade | | | |
| Bars/Taverns | | - | Р |
| General Retail Businesses, e | xcept with | | |
| any of the following feature | es | - | Р |
| Drive-Through | | - | - |
| Floor Area ≥ 3,500 sf | | - | UP |
| Markets | | | |
| Neighborhood Market | | - | Р |
| ≤ 2,500 sf | | | |
| Restaurant, or Cafés | | - | Р |

| Land Use ³ | Specific Use Regulations | T4N.I | T4N.I-O |
|---------------------------|-----------------------------|-------|---------|
| Services | | | |
| ATM | | - | Р |
| Bed & Breakfast | 10-40.60.110 | Р | Р |
| Cemeteries | | UP | UP |
| Crematorium | | | UP |
| Daycare | 10-40.60.150 | | |
| Home | | Р | Р |
| Centers | | UP | UP |
| Funeral Homes, Chapels, M | ortuaries | - | Р |
| General Services | | - | Р |
| Lodging | | | |
| ≤ I5 rooms | | - | Р |
| Offices | | - | Р |
| Public Services | | | |
| Public Services Minor | | Р | Р |
| Emergency Services | | UP | UP |
| Veterinary Clinics | | - | Р |
| Telecommunication Fac | ilities | | |
| Stealth Telecommunication | | | |
| Facilities | 10-40.60.310 | Р | Р |
| Transportation & Infrast | tructure | | |
| Accessory Wind Energy | | | |
| Systems | 10-40.60.040 | Р | Р |
| Urban Agriculture | | | |
| Community Gardens | 10-40.60.140 | Р | Р |

| Key | | |
|-------------------|---------------------------------|--|
| Р | Permitted Use | |
| UP | Conditional Use Permit Required | |
| - Use Not Allowed | | |
| End Notes | | |

- ³See Chapter 10-80 (Definitions) for use type definitions.
- ⁴Not allowed on the ground floor unless behind an allowed ground-floor use.

⁵UP required if liquor is sold or if facilities exceed 250 seats.

10-40.40.070 Transect Zones

This page intentionally left blank



10-40.40.080 T4 Neighborhood 2 (T4N.2) Standards

A. Zone Intent and Description

The primary intent of this Zone is to create new walkable urban neighborhoods that are in character with Flagstaff's older neighborhoods in combination with other transect zones. This Zone integrates small-footprint, medium-density building types, such as bungalow courts, duplexes, and apartment houses. Dwelling units within these building types are likely smaller than those found in other zones. The mixture of building types and unit sizes provides a variety of housing choices which reinforces the walkable nature of the neighborhood, supports adjacent neighborhood-serving commercial uses, and supports basic public transportation alternatives.

While residential is the primary use type in T4N.2 Zone, homeowner offices and small neighborhood supporting uses, such as music classes and artist studios, are encouraged in ancillary buildings to further reinforce the walkability of these neighborhoods.

The intent of the T4N.2-O Sub-Zone is to provide the appropriate form and scale for areas that are transitional between commercial and residential uses, and to allow the neighborhood commercial areas to expand as the market demand grows. The intended form is the same as T4N.2, but the allowed range of use types is broader and includes commercial and other non-residential uses as well as residential uses.

The T4N.2 Zone and T4N.2-O Sub-Zone can also can be used for application to the creation of new neighborhoods in combination with, or independent of, the T4N.1 Zone. They provide a higher maximum building height and smaller setbacks than T4N.1.

B. Sub-Zones

T4N.2-O (Open)


| C. Allowed Building Types ¹ | | |
|--|------------------------|--|
| Carriage House | Single-Family Cottage | |
| Single-Family House | Duplex, Stacked | |
| Duplex, Side-by-Side | Bungalow Court | |
| Duplex, Front-and-Back | Apartment House | |
| Townhouse | Live/Work ² | |


¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

²Allowed only in open sub-zone(s).

10-40.40.080 Transect Zones

T4 Neighborhood 2 (T4N.2) Standards





Key

- ---- ROW/Property Line
- Building Area
- --- Building Setback Line
- Façade Zone

3' min.

D. Building Placement

Setback (Distance from ROW/Property Line)

Principal Building

| | Front ¹ | 5' min.; 12' max. | A |
|---|---------------------------------|--------------------|---|
| | Front Façade within Façade Zone | 50% min. | |
| | Side Street/Civic Space | 10' min.; 15' max. | B |
| | Side ² | 3' min. | 9 |
| | Rear | 3' min. | O |
| Α | ccessory Building or Structure | | |
| | Front | 20' min. | |
| | Side | 0' min.; 3' max. | |

¹The setback may match an existing adjacent building as follows: the building may be placed to align with the façade of the front most immediately adjacent property, for a width no greater than that of the adjacent property's façade that encroaches into the minimum setback.

Miscellaneous

Rear

Upper-floor units must have a primary entrance along a street or courtyard façade.

Ground-floor residential units along a street must have individual entries.

| E. Building Form ³ | |
|-------------------------------|--|
| Height | |
| Principal Building | |

| Assessmy Duilding Assessmy | | |
|----------------------------|----------------|----------|
| Overall | 52' max. | G |
| To Eave/Parapet | 40' max. | 3 |
| Stories | 4 stories max. | |
| Principal building | | |

Accessory Building, Accessory Structure or Carriage House

Stories 2 stories max.

To Eave/Parapet 18' max.

Overall 28' max.

Ground Floor Finish Level 18" min. above sidewalk

Ground Floor Ceiling 8' min. clear

³See Division 10-50.110 (Specific to Building Types) for additional building form regulations.

Footprint

Upper Floor(s) Ceiling

Depth, ground-floor residential 30' min. space along primary street

frontage

Lot Coverage 80% max.

Miscellaneous


Mansard roof forms are not allowed.


8' min. clear

0

²No side setback is required along the shared property line between side-by-side duplexes.

T4 Neighborhood 2 (T4N.2) Standards





Key

---- ROW/Property Line

Encroachment Area

--- Building Setback Line

| F. Encroachments and Frontage Types | | |
|-------------------------------------|----------------------|------------|
| Encroachments ⁴ | | |
| Front | 5' max. ⁵ | 0 |
| Side Street/Civic Space | 5' max. ⁵ | K |
| Side | 3' max. | • |
| Rear | | (3) |
| Property Line | 0' max. | |
| Rear Lane or Alley | 3' max. | |

⁴ Galleries may encroach into street ROW. All other encroachments are not allowed within a street ROW.

⁵See Division 10-50.40 (Encroachments) for allowed encroachments.

| Allowed Private Frontage Types ⁶ | | |
|---|-----------|--|
| Stoop | Forecourt | |
| | | |
| Shopfront ⁷ Porch | | |
| 6Saa Division 10 E0 120 (Specific to Brivata Eventages) | | |

⁶See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.

Key

---- ROW/Property Line

Parking Area

--- Parking Setback Line

| G. Required Parking | |
|----------------------------|------------------------|
| Spaces ⁸ | |
| Residential Uses | |
| Studio/I Bedroom | I space/unit min. |
| 2+ Bedrooms | 2 spaces/unit min. |
| Retail Trade, Service Uses | |
| ≤2,000 sf | No spaces required |
| >2,000 sf | 3 spaces/I,000 sf min. |
| | above first 2,000 sf |

⁸Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

| | . , | | |
|---|----------------|------------|--|
| Location (Setback from ROW/Property Line) | | | |
| Front | | 0 | |
| Covered/Attached | 30' min. | | |
| Uncovered | Match front fa | açade min. | |
| Side Street/Civic Space | 5' min. | 0 | |
| Side | 0' min. | • | |
| Rear | 0' min. | 0 | |
| Miscellaneous | | | |

Linear Feet of Front or Side

Façade that may be Garage 35% max.

See Division 10-50.80 (Parking Standards) for additional parking regulations.

⁷Allowed only in open sub-zone(s).

10-40.40.080 Transect Zones

T4 Neighborhood 2 (T4N.2) Standards

H. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Α Cisterns Α Disconnected Downspouts Α Greywater - Simple Α Flow Through and Infiltration Planters Α Rain Barrels Α Infiltration Trench Α **Energy Features** Level Spreader Α Α Accessory Wind Energy System Porous Paving Α Alternative Paving Α Rain Garden Α **Biomass** Riffle Pools Α Geothermal Energy Α Swale Solar **Biofiltration** Farm Vegetated/Rock Α Parking Lot Lighting Α Urban Channel Α **Roof Paneling** Α Water Heaters Vegetated Roof Α Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

End Notes

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T4 Neighborhood 2 (T4N.2) Standards

| I. Allowed Uses | | | |
|------------------------------|-----------------------------|-------|----------------|
| Land Use ³ | Specific Use Regulations | T4N.2 | T4N.2-O |
| Residential | | | |
| Accessory Building and | | | |
| Structures | 10-40.60.020 | P^4 | P ⁴ |
| Accessory Dwelling Unit | 10-40.60.030 | Р | Р |
| Co-Housing | 10-40.60.120 | Р | Р |
| Congregate Care Facilities | | Р | Р |
| Dwelling: Multiple-Family | | Р | Р |
| Dwelling: Secondary | | | |
| Single-Family | | Р | Р |
| Dwelling: Single-Family | | Р | Р |
| Dwelling: Two-family | | Р | Р |
| Group Home | | Р | Р |
| Home Occupation | 10-40.60.180 | Р | Р |
| Institutional Residential | 10-40.60.190 | UP | UP |
| Live/Work | | - | UP |
| Rooming and Boarding | | | |
| Facilities | | UP | UP |
| Recreation, Education & | Public Asser | mbly | |
| Libraries, Museums | | | |
| ≤ 2,500 sf | | Р | Р |
| > 2,500 sf | | UP | UP |
| Meeting Facilities, Public | | | |
| and Private | 10-40.60.230 | P^5 | P^5 |
| Schools - Private | | Р | Р |
| Schools - Public & Charter | | Р | Р |
| Retail Trade | | | |
| Bars/Taverns | | - | Р |
| General Retail Businesses, e | xcept with | | |
| any of the following feature | es . | - | Р |
| Drive-Through | | - | - |
| Floor area ≥ 3,500 sf | | - | UP |
| Markets | | | |
| Neighborhood Market | | - | Р |
| ≤ 2,500 sf | | | |
| Restaurants or Cafés | | - | Р |


| Land Use ³ | Specific Use Regulations | T4N.2 | T4N.2-O |
|----------------------------|-----------------------------|-------|---------|
| Services | | | |
| ATM | | - | Р |
| Bed & Breakfast | 10-40.60.110 | Р | Р |
| Cemeteries | | UP | UP |
| Crematorium | | UP | UP |
| Daycare | 10-40.60.150 | | |
| Home | | Р | Р |
| Centers | | UP | UP |
| Funeral Homes, Chapels, Mo | ortuaries | - | Р |
| General Services | | - | Р |
| Lodging | | UP | UP |
| Office | | - | Р |
| Public Services | | | |
| Public Services Minor | | Р | Р |
| Emergency Services | | UP | UP |
| Veterinary Clinics | | - | Р |
| Telecommunication Faci | ilities | | |
| Stealth Telecommunication | | | |
| Facilities | 10-40.60.310 | Р | Р |
| Transportation & Infrast | ructure | | |
| Accessory Wind Energy | | | |
| Systems | 10-40.60.040 | Р | Р |
| Urban Agriculture | | | |
| Community Gardens | 10-40.60.140 | Р | Р |

| Key | | |
|---|---------------------------------|--|
| Р | Permitted Use | |
| UP | Conditional Use Permit Required | |
| - | Use Not Allowed | |
| End Notes | | |
| ³ See Chapter 10-80 (Definitions) for use type | | |
| definitions. | | |
| ⁴ Not allowed on the ground floor unless behind an | | |
| allowed ground-floor use. | | |
| | · | |

⁵UP required if liquor is sold or if facilities exceed 250 seats.

Transect Zones

This page intentionally left blank



10-40.40.090 T5 Main Street (T5) Standards

A. Zone Intent and Description

The primary intent of this Zone is to reinforce the vitality of the downtown area adjacent to the core, to allow it to expand and evolve, and to provide an appropriate transition into existing neighborhoods. It provides neighborhood-serving commercial and retail uses in a main street form, and provides a variety of urban housing choices, typically in smaller units. These aspects reinforce the walkable nature of the neighborhood, and support basic public transportation alternatives.

The intent of the T5-O Sub-Zone is to provide the appropriate form and scale for areas that are transitional between commercial and residential uses, and to allow the neighborhood commercial areas to expand as the market demand grows. The intended form of this Zone is the same as T5, but the allowed range of use types is broader, residential uses are allowed on the ground floor, and the Courtyard Apartment Building Type is allowed.

The Zone and Sub-Zone are intended to preserve and build upon the existing pattern of development. New development, renovations, and additions should be in character and scale with existing valued patterns.

B. Sub-Zones

T5-O (Open)

C. Allowed Building Types¹

| Carriage House | Commercial Block |
|-------------------------------------|------------------------------|
| Duplex, Side-by-Side ² | Duplex, Stacked ² |
| Duplex, Front-and-Back ² | Courtyard Apartment |


Live/Work

¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

² Allowed only in open sub-zone(s).

10-40.40.090 Transect Zones

T5 Main Street (T5) Standards



Key

---- ROW / Property Line

--- Building Setback Line
Building Area

Build-to Line (BTL)

| D. Building Placement |
|--|
| Build-to Line (Distance from ROW/Property Line) |
| Principal Building |

| Front | 2' |
|---------------------------|-------------------|
| Side Street | 2' B |
| BTL Defined by a Building | T5/T5-O |
| Front | 80% min./60% min. |
| Side Street | 60% min./40%min. |

Setback (Distance from ROW/Property Line)

Principal Building

| Side | 0' min.; 24' max. | C |
|------|-------------------|---|
| Rear | 3' min | e |

Accessory Building or Structure


| , | |
|-------|--------------------|
| Front | 40' max. from rear |
| | Property Line |
| Side | 0' min. |
| Rear | 3' min. |

Miscellaneous

Street façades must be built to BTL within 30' of each street corner.

The entire BTL must be defined by a building or a 24" to 48" high stucco or masonry wall.

Loading docks, overhead doors and other service entries shall not be located on front or street-facing façades.



| E. Building Form | | |
|---------------------------|-------------------|-------------|
| Height ¹ | | |
| Building | 2 stories min.; 5 | |
| | stories max. | (3) |
| Ground Floor Finish Level | 6" max. above | |
| | sidewalk | G |
| Ground Floor Ceiling | l4' min. clear | • |
| Upper Floor(s) Ceiling | 8' min. clear | 0 |

¹See Division 10-50.110 (Specific to Building Types) for additional building form regulations.

| Footprint | |
|--------------|-----------------------|
| Lot Coverage | 80% max. ² |

Ground-floor commercial/flex/residential space along primary street frontage shall have a minimum depth of 30', excluding vertical circulation and parking.


² 100% lot coverage with a Conditional Use Permit.

| Miscellaneous | | |
|-------------------------------------|----------|--|
| Distance between entries | 50' max. | |
| Mansard roof forms are not allowed. | | |

All upper floors must have a primary entrance along a street or courtyard facing façade.

Buildings wider than 100' must be designed to read as a series of buildings no wider than 75' each.

T5 Main Street (T5) Standards



Key

---- ROW/Property Line

--- Build-to Line (BTL)

--- Setback Line

| | I |
|-------------------|---|
| Encroachment Area | |

Gallery Encroachment Area


| F. Encroachments and Frontage Types | | |
|-------------------------------------|----------------------|---|
| Encroachments ⁴ | | |
| Front | 2' max. ⁵ | 0 |
| Side Street/Civic Space | 2' max. ⁵ | K |
| Side | 0' max. | • |
| Rear | | • |
| Property Line | 0' max. | |
| Rear Lane | 3' max. | |

⁴ See Division 10-50.40 (Encroachments) for allowed encroachments.

⁵ Awnings and galleries may encroach into street ROW to within 2' of face of curb. All other encroachments are not allowed within street ROW.

| Allowed Private Frontage Types ⁶ | | |
|---|-------------------|--|
| Terrace/Lightwell | Forecourt | |
| Stoop ⁷ | Gallery | |
| Shopfront | Terrace Shopfront | |

⁶ See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.



Key

---- ROW/Property Line

- Parking Setback Line

Parking Area

--- Build-to Line (BTL)

| G. Required Parking | |
|----------------------------|------------------------|
| Spaces ⁸ | |
| Residential Uses | I space/I,500 sf min. |
| Retail Trade, Service Uses | |
| Ground Floor ≤2,000 sf | No spaces required |
| Ground Floor >2,000 sf | 3 spaces/1,000 sf min. |
| | above first 2,000 sf |
| Upper Floors | 3 spaces/1,000 sf min. |

⁸ Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

| 8-1 | - 1 /- | |
|----------------------------|------------------|---|
| Location (Setback from RO) | W/Property Line) | |
| Front | | 0 |
| Ground Floor | 50' min. | |
| Below Grade/Upper Floor(s) | 2' min. | |
| Side Street/Civic Space | 2' min. | 0 |
| Side | 0' min. | P |
| Rear | 0' min. | 0 |
| Miscellaneous | | |
| Parking Drive Width | | B |
| ≤40 spaces | 16' max. | |
| >40 spaces | 20' max. | |
| | | |

See Division 10-50.80 (Parking Standards) for additional parking regulations.

⁷ Allowed only in open sub-zones.

10-40.40.090 Transect Zones

T5 Main Street (T5) Standards

H. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Α Cisterns Α Disconnected Downspouts Α Greywater - Simple Flow Through and Infiltration Planters Α Rain Barrels Α Infiltration Trench Α **Energy Features** Level Spreader Α Accessory Wind Energy System Porous Paving Α Alternative Paving Α Rain Garden **Biomass** Riffle Pools Α Geothermal Energy Swale Solar **Biofiltration** Farm Vegetated/Rock Α Parking Lot Lighting Α Urban Channel Α **Roof Paneling** Α Water Heaters Vegetated Roof Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

End Notes

¹ See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T5 Main Street (T5) Standards

| I. Allowed Uses | | | |
|----------------------------|-----------------------------|-------------------|-------|
| Land Use ³ | Specific Use Regulations | T5 | T5-O |
| Industrial, Manufacturin | g | | |
| Manufacturing & Processing | , | | |
| Incidental | | Р | Р |
| Residential | | | |
| Accessory Building and | | | |
| Structures | 10-40.60.020 | P^4 | Р |
| Accessory Dwelling Unit | 10-40.60.030 | P ⁴ | Р |
| Co-Housing | 10-40.60.120 | P ⁴ | Р |
| Congregate Care Facilities | | UP ⁴ | UP |
| Dwelling: Multiple-Family | | P^4 | Р |
| Group Home | | P^4 | Р |
| Home Occupation | 10-40.60.180 | Р | Р |
| Institutional Residential | | | |
| Custodial Care Facilities | | UP ^{4,5} | UP |
| Nursing Homes | | UP^4 | UP |
| Homeless Shelter | 10-40.60.190 | $UP^{4,5}$ | UP |
| Sheltered Care Home | | $UP^{4,5}$ | UP |
| Live/Work | | Р | Р |
| Rooming and Boarding | | | |
| Facilities | | UP^4 | UP |
| Recreation, Education & | Public Asser | mbly L | Jses |
| Commercial Recreation | | | |
| Facility, Indoor | | | |
| ≤ 5,000 sf | | Р | Р |
| > 5,000 sf | | UP | UP |
| Libraries, Museums | | Р | Р |
| Meeting Facilities, Public | | | |
| and Private | 10-40.60.230 | P^5 | P^5 |
| Schools - Private | | Р | Р |
| Schools - Public & Charter | | Р | Р |

Р

seats.

| Land Use ³ | Specific Use Regulations | T5 | T5-O |
|---------------------------|-----------------------------|----|------|
| Retail Trade | | | |
| Bars/Taverns | | Р | Р |
| General Retail Businesses | s, except with | | |
| any of the following feat | ures | Р | Р |
| Drive-Through | | - | - |
| Floor area ≥ 5,000 sf | | UP | UP |
| Mixed Use | | Р | Р |
| Restaurants or Cafés | | Р | Р |
| | | | |

| Key | | | |
|--|---|--|--|
| Р | Permitted Use | | |
| UP | Conditional Use Permit Required | | |
| - | Use Not Allowed | | |
| End N | lotes | | |
| ³ See C | ³ See Chapter 10-80 (Definitions) for use type | | |
| definitions. | | | |
| ⁴ Not allowed on the ground floor unless behind an | | | |
| allowed ground-floor use. | | | |
| ⁵ Conditional Use Permit is required if proximity | | | |
| between shelter facilities is less than 1/4 mile. | | | |
| ⁶ UP required if liquor is sold or if facilities exceed 250 | | | |
| | | | |

⁷ Residential uses, and residential properties listed on the National Historic Registry or within the Landmarks Overlay Zone, in T5 and T5-O Zones existing prior to the effective date of this Zoning Code are considered legal, conforming uses.

Theatres, Walk-in

10-40.40.090 Transect Zones

T5 Main Street (T5) Standards

I. Allowed Uses (Continued)

| Land Use ³ | Specific Use Regulations | T5 | T5-O |
|------------------------------------|-----------------------------|-----------------|----------------|
| Services | | | |
| ATM | | Р | Р |
| Bed & Breakfast | 10-40.60.110 | Р | Р |
| Crematorium | | UP | UP |
| Daycare | 10-40.60.150 | | |
| Home | | Р | Р |
| Centers | | UP | UP |
| Dry-Cleaning, Pick-Up Only | у | Р | Р |
| Funeral Homes, Chapels, Mortuaries | | Р | Р |
| General Services | | Р | Р |
| Hospitals | | UP ⁴ | UP |
| Lodging | | Р | Р |
| Office | | P ⁴ | Р |
| Public Services | | | |
| Public Services Minor | | Р | Р |
| Emergency Services | | UP | UP |
| Veterinary Clinics | | P^4 | Р |
| Transportation & Infras | tructure | | |
| Accessory Wind Energy | | | |
| Systems | 10-40.60.040 | Р | Р |
| Garages, Off Street | | P ⁴ | P ⁴ |
| Parking Lots, Off Street | | P ⁴ | P ⁴ |

| Land Use ³ | Specific Use Regulations | Т5 | T5-O |
|----------------------------|-----------------------------|--------|--------|
| Telecommunication Faci | ilities | | |
| AM Broadcasting Facilities | 10-40.60.310 | UP | UP |
| Antenna-supporting | | | |
| Structure | 10-40.60.310 | UP | UP |
| Attached | 10-40.60.310 | | |
| Telecommunication | | | |
| Facilities | | Р | Р |
| Collocation Facility | 10-40.60.310 | Р | Р |
| FM/DTV/Low Wattage AM | 10-40.60.310 | | |
| Broadcasting Facilities | | Р | Р |
| Stealth Telecommunication | | | |
| Facilities | 10-40.60.310 | Р | Р |
| Urban Agriculture | | | |
| Community Gardens | 10-40.60.140 | Р | Р |
| Vehicle Sales and Service | es | | |
| Automobile/Vehicle Sales, | | Р | Р |
| new and used | | | |
| Automobile/Vehicle Repair | | | |
| Garage | 10-40.60.100 | | |
| Minor | | P^4 | P^4 |
| Major | | UP^4 | UP^4 |

| Key | |
|-----------|---------------------------------|
| Р | Permitted Use |
| UP | Conditional Use Permit Required |
| _ | Use Not Allowed |
| End Notes | |

³ See Chapter 10-80 (Definitions) for use type definitions.

⁴ Not allowed on the ground floor unless behind an allowed ground-floor use.



10-40.40.100 T6 Downtown (T6) Standards

A. Zone Intent and Description

The primary intent of this Zone is to reinforce and enhance the vibrant, walkable urban downtown core, and to enable it to evolve into a complete neighborhood. This Zone allows a wide range of uses including the following: locally and regionally serving commercial, retail, and entertainment; civic and public, and; a variety of housing choices. These aspects reinforce the walkable nature of the neighborhood, and provide a primary hub for public transportation alternatives.

This Zone is intended to preserve and build upon the existing pattern of development. New development, renovations, and additions should therefore be in character and scale with existing valued patterns.


B. Allowed Building Types¹

Commercial Block

¹See Division 10-50.110 (Specific to Building Types) for building type descriptions and regulations.

10-40.40.100 Transect Zones

T6 Downtown (T6) Standards



Key

---- ROW/Property Line

-- Building Setback Line

--- Build-to Line (BTL)

| · · | |
|---------------|--|
| Building Area | |

C. Building Placement

Build-to Line (Distance from ROW/Property Line)

Principal Building

Front 2' A Side Street 2' B

BTL Defined by a Building

Front 100% Side Street 80% min.

Setback (Distance from ROW/Property Line)

Principal Building

Side 0' min.; 24' max. **©**

Rear 3' min.

Accessory Building or Structure


Front 40' max. from rear
Property Line
Side 0' min.
Rear 3' min.

Miscellaneous

Street façades must be built to BTL within 50' of each street corner.

The entire BTL must be defined by a building or a 24" to 48" high stucco or masonry wall.

Loading docks, overhead doors and other service entries shall not be located on front or street-facing façades.



| D. Building Form ¹ | | |
|-------------------------------|-------------------|-----------|
| Height | | |
| Building | 2 stories min.; 7 | |
| | stories max. | (3 |
| Setback Above 5th Floor | 15' min. | 0 |
| Ground Floor Finish Level | 6" max. above | |
| | sidewalk | • |
| Ground Floor Ceiling | 14' min. clear | 0 |
| Upper Floor(s) Ceiling | 9' min. clear | 0 |
| | | , |

¹ See Division 10-50.110 (Specific to Building Types) for additional building form regulations.

| Footprint | |
|--------------|-----------------------|
| Lot Coverage | 80% max. ² |

Ground-floor commercial/flex/residential space along primary street frontage shall have a minimum depth of 30', excluding vertical circulation and parking.

² 100% lot coverage may be attained through a Conditional Use Permit.

Miscellaneous

O

ø


Distance between entries 50' max.

Mansard roof forms are not allowed.

All upper floors must have a primary entrance along a street or courtyard.

Buildings wider than 150' must be designed to read as a series of buildings no wider than 100' each.

T6 Downtown (T6) Standards



Key

---- ROW/Property Line

Build-to Line (BTL)

--- Building Setback Line

| | Encroachment Area | | |
|------|---------------------|--|--|
| ///, | Gallery Encroachmer | | |

Gallery Encroachment Area


| E. Encroachments and Frontage Types | | |
|-------------------------------------|----------------------|----------|
| Encroachments ³ | | |
| Front | 2' max. ⁴ | B |
| Side Street/Civic Space | 2' max. ⁴ | • |
| Side | 0' max. | • |
| Rear | | • |
| Property Line | 0' max. | |
| Rear Lane or Alley | 3' max. | |

³ See Division 10-50.40 (Encroachments) for allowed encroachments.

⁴ Awnings and galleries may encroach into street ROW to within 2' of face of curb. All other encroachments are not allowed within street ROW.

| Allowed Private Frontage Types ⁵ | | |
|---|-------------------|--|
| Terrace/Lightwell | Forecourt | |
| Stoop | Gallery | |
| Shopfront | Terrace Shopfront | |

⁵ See Division 10-50.120 (Specific to Private Frontages) for private frontage type descriptions and regulations.



Key

---- ROW / Property Line

-- Setback Line

Parking Area

--- Build-to Line (BTL)

| F. Required Parking | |
|----------------------------|------------------------|
| Spaces ⁶ | |
| Residential Uses | I space/I,500 sf min. |
| Retail Trade, Service Uses | |
| Ground Floor ≤2,000 sf | No spaces required |
| Ground Floor >2,000 sf | 2 spaces/1,000 sf min. |
| | above first 2,000 sf |
| Upper Floors | 2 spaces/1,000 sf min. |

⁶ Land use types not listed above shall meet the requirements in Table 10-50.80.040.A (Number of Motor Vehicle Parking Spaces Required).

| | 1 / | |
|--|--------------------------|---------|
| Location (Distance from ROW/Property Line) | | |
| Front | (| <u></u> |
| Ground Floor | 50' min. | |
| Below Grade/Upper Floor(s) | 2' min. | |
| Side Street/Civic Space | | P |
| Ground Floor | 30' min. | |
| Below Grade/Upper Floor(s) | 2' min. | |
| Side | 0' min. | 0 |
| Rear | 0' min. | B |
| Miscellaneous | | |
| Parking Drive Width | | 9 |
| ≤40 spaces | 16' max. | |
| >40 spaces | 20' max. | |
| See Division 10-50 80 (Parking S | Standards) for additiona | — al |

See Division 10-50.80 (Parking Standards) for additional parking regulations.

10-40.40.100 Transect Zones

T6 Downtown (T6) Standards

G. Sustainable Features^{1,2} **Water Conservation Storm Water Features Biofiltration Facility** Cisterns Disconnected Downspouts Α Greywater - Simple Flow Through and Infiltration Planters Α Rain Barrels Infiltration Trench **Energy Features** Level Spreader Α Accessory Wind Energy System Porous Paving Α Alternative Paving Α Rain Garden **Biomass** Riffle Pools Α Geothermal Energy Swale Solar **Biofiltration** Farm Vegetated/Rock Α Parking Lot Lighting Α Urban Channel Α Roof Paneling Α Water Heaters Vegetated Roof Α Α

| Key | |
|-----|-------------|
| Α | Allowed |
| - | Not Allowed |

End Notes

¹See Division 10-30.70 (Sustainability) for additional sustainability regulations.

² Sustainable features marked as Not Allowed may be approved by the Director and Stormwater Manager if it can be demonstrated that the proposed sustainable feature can be installed consistent with the intent and character of the transect zone.

T6 Downtown (T6) Standards

H. Allowed Uses

| Land Use ³ | Specific Use Regulations | Т6 |
|---------------------------------|-----------------------------|--------------------|
| Industrial, Manufacturing | | |
| Manufacturing & Processing, | | Р |
| Incidental | | |
| Residential ⁷ | | |
| Accessory Building and | | |
| Structures | 10-40.60.020 | P ⁴ |
| Accessory Dwelling Unit | 10-40.60.030 | P^4 |
| Co-Housing | 10-40.60.120 | P^4 |
| Congregate Care Facilities | | UP ⁴ |
| Dwelling: Multiple-Family | | P ⁴ |
| Group Home | | P ⁴ |
| Home Occupation | 10-40.60.180 | Р |
| Institutional Residential | | |
| Custodial Care Facilities | | UP ^{4, 5} |
| Nursing Homes | | UP^4 |
| Homeless Shelter | | UP ^{4, 5} |
| Sheltered Care Home | | UP ^{4, 5} |
| Live/Work | | Р |
| Mixed Use | | Р |
| Rooming and Boarding Facilities | | UP ⁴ |

| Land Use ³ Specific Regular | |
|--|------------------------|
| Recreation, Education, & Public Ass | sembly |
| Commercial Recreation Facility, | |
| Indoor | |
| ≤ 5,000 sf | Р |
| > 5,000 sf | UP |
| Libraries, Museums | Р |
| Meeting Facilities, Public and | |
| Private 10-40.6 | 0.230 P ^{4,6} |
| Schools - Private | Р |
| Schools - Public & Charter | Р |
| Theatres, Walk-in | Р |
| Retail Trade | |
| Bars/Taverns | Р |
| General Retail Businesses, except with a | ny of |
| the following features | Р |
| Drive-through | - |
| Floor area ≥ 5,000 sf | UP |
| Restaurants or Cafés | Р |
| | |

| Key | |
|-----------|---------------------------------|
| Р | Permitted Use |
| UP | Conditional Use Permit Required |
| _ | Use Not Allowed |
| End Notes | |

End Notes

- ³ See Chapter 10-80 (Definitions) for use type definitions.
- ⁴ Not allowed on the ground floor unless behind an allowed ground-floor use.
- ⁵ Conditional Use Permit is required if proximity between shelter facilities is less than ¹/₄ mile.
- ⁶UP required if liquor is sold or if facilities exceed 250 seats.
- ⁷ Residential uses, and residential properties listed on the National Historic Registry or within the Landmarks Overlay Zone, in the T6 Zone existing prior to the effective date of this Zoning Code are considered legal, conforming uses.

10-40.40.100 Transect Zones

T6 Downtown (T6) Standards


H. Allowed Uses (Continued)

| Land Use ³ | Specific Use Regulations | Т6 |
|----------------------------|-----------------------------|----------------|
| Services | | |
| ATM | | P |
| Daycare | 10-40.60.150 | |
| Home | | Р |
| Centers | | UP |
| Dry-cleaning, Pick-up Only | | Р |
| Funeral Homes, Mortuaries | | UP |
| General Services | | Р |
| Hospitals | | UP |
| Lodging | | P |
| Office | | P^4 |
| Public Services | | |
| Public Services Major | | Р |
| Emergency Services | | UP |
| Transportation & Infrastru | ucture | |
| Accessory Wind Energy | | |
| Systems | 10-40.60.040 | Р |
| Garages, Off Street | | P^4 |
| Parking Lots, Off Street | 10-50.80 | P ⁴ |
| Passenger Transportation | | |
| Facilities | | P^4 |

| essing & | |
|------------|--|
| | |
| al | Р |
| | |
| -40.60.140 | Р |
| | |
| | |
| | UP |
| | |
| -40.60.310 | UP |
| -40.60.310 | UP |
| -40.60.310 | Р |
| | |
| -40.60.310 | Р |
| -40.60.310 | Р |
| | |
| -40.60.310 | Р |
| | |
| | -40.60.140 -40.60.310 -40.60.310 -40.60.310 -40.60.310 |

| Key | | |
|---|---------------------------------|--|
| Р | Permitted Use | |
| UP | Conditional Use Permit Required | |
| | Use Not Allowed | |
| End Notes | | |
| ³ See Chapter 10-80 (Definitions) for use type | | |
| dofir | definitions | |

⁴ Not allowed on the ground floor unless behind an allowed ground-floor use.



10-40.40.110 Traditional Neighborhood District (TND) Standards

Applicability

The TND Zone shall only be applied to developments approved under the Traditional Neighborhood District as provided in the 1991 Land Development Code that satisfy the requirements of Section 10-10.30.090 (Rules of Transition).

See Division 10-30.80 (Traditional Neighborhood Community Plans) for specific standards.

10-40.40.110 Transect Zones

This page intentionally left blank